



Transmission fluid

014 019 3300

MAX0130

Notes

Capacity [Litre]	1
Specification	G 009 317
Specification	G 052 171
Specification	G 052 512
Specification	G 052 532
Specification	G 052 527
Specification	G 052 726
Specification	G 052 798
Specification	G 055 726
Specification	API GL4
Specification	API GL5
Specification	BMW MTF LT-1/-2
Specification	BMW MTF LT-3/-4
Specification	MB 235.10
Specification	B 71 2330
Specification	TOYOTA JWS 227
Specification	Natural

References

CITROËN	9730.A2
	9730.A8
FORD	WSS-M2C200-D2
MERCEDES-BENZ	001 989 84 03
PEUGEOT	9730.A2
	9730.A8
VW	G 052 171 A2
	G 052 512 A2
	G 052 726 A2
	G 055 726 A2

Application info



Bushing, driver cab suspension

034 089 0019

MIX0311

Notes

Left and right
Rear

References

MERCEDES-BENZ

942 317 23 12



Application info

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

MERCEDES-BENZ ACTROS MP4 (07/11--)

Brake disc

16-15 521 0034
 MBD1700

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Centering Diameter [mm]	61
Height [mm]	43,9
Minimum thickness [mm]	19,8
Number of Holes	5
Outer diameter [mm]	258
Wheel Bolt Bore Ø [mm]	13,5
	Vented



References

DACIA	402063149R
RENAULT	402062212R
	402063149R
SMART	4534200100

Application info

DACIA Logan II (10/12--)
 DACIA Sandero II (01/13--)
 RENAULT Clio II / Thalia (02/98-02/10)
 RENAULT Clio IV (11/12--)
 RENAULT Logan II (11/13--)

RENAULT Sandero/Stepway II (11/13--)
 RENAULT Thalia III (07/14--)
 SMART Forfour II (07/14--)
 SMART Fortwo III (07/14--)

Brake disc

30-15 521 0117
 MBD1699

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	114,3
Brake Disc Thickness [mm]	26
Centering Diameter [mm]	62
Height [mm]	49,2
Minimum thickness [mm]	23
Number of Holes	5
Outer diameter [mm]	277
Wheel Bolt Bore Ø [mm]	14,5
	Vented



References

TOYOTA	43512-02330
--------	-------------

Application info

TOYOTA Auris II (10/12--)
 TOYOTA Corolla (E14, E15) (09/06--)

TOYOTA Corolla (E170) (06/13--)



Brake pad set

025 247 2116


MBP1704

Notes

	Rear Axle
Height [mm]	75,5
Thickness [mm]	15,5
Width [mm]	187,5
	prepared for wear indicator with anti-squeak plate

References

VW	7P0 698 451
	7P6 698 451



Application info

VW Touareg (7P5) (01/10--)

Brake pad set

025 249 7417


MBP1705

Notes

	Front Axle
Height [mm]	81,5
Thickness [mm]	16,7
Width [mm]	130
	not prepared for wear indicator with anti-squeak plate

References

SEAT	6LL 698 151
------	-------------



Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)

SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)

Brake pad set

025 250 2119

MBP1659

Notes

	Front Axle
Brake System	TRW
Height [mm]	72,2
Thickness [mm]	18,7
Width [mm]	192,6
	prepared for wear indicator with anti-squeak plate

References

LAND ROVER	LR051626
------------	----------

Application info

LAND ROVER Discovery IV (09/09--)

LAND ROVER Range Rover IV (08/12--)

LAND ROVER Range Rover Sport (02/05--)

LAND ROVER Range Rover Sport (LW) (04/13--)



Mount, automatic transmission

014 024 2000

MTM0087

Notes

Rear
Transmission End
Rubber-metal Bearing



References

MERCEDES-BENZ 901 242 17 13
901 242 18 13

Application info

MERCEDES-BENZ BM 905 (Sprinter I) (04/01-05/06)

Parts kit, automatic transm. oil change

714 135 0002

MOK0053

Notes

Manufacturer Restriction GETRAG
Transmission Type MPS6 POWERSHIFT
Automatic Transmission, 6-speed
Kit

References

FORD 1 589 089
1 848 704
7M5R-6C631-AD
7M5R-7G186-AC
AM7M5R-7H103-AA
MITSUBISHI 2513A040
VOLVO 31256837
31367964

Application info

FORD C-Max I (02/07--)
FORD C-Max II (12/10--)
FORD Focus II (10/03-09/08)
FORD Focus III (04/11--)
FORD Galaxy II (05/06--)
FORD Kuga (03/08--)
FORD Kuga II (01/13--)
FORD Mondeo IV (03/07--)
FORD S-Max (05/06--)
MITSUBISHI Lancer VIII (01/08--)
MITSUBISHI Outlander II (11/06-11/12)
VOLVO C30 (10/06-12/12)
VOLVO C70 II (03/06--)
VOLVO S40 II / V50 (01/04--)
VOLVO S60 II / V60 (04/10-04/12)
VOLVO S80 II (03/06--)
VOLVO V40 II (03/12--)
VOLVO V70 III (08/07--)
VOLVO XC60 (05/08-12/10)



Stub Axle, differential

100 498 0245

MDS0057

Notes

	Front Axle
	Front Axle left and right
Length [mm]	114,4
Outer gearing diff. side	30
Outer gearing wheel side	26
Seal Diameter [mm]	62

References

VW	09K 409 352
----	-------------

Application info

VW Transporter V (04/03-11/09)



ABS wheel sensor

114 800 0007
MAS0284

Notes

Cable Length [mm]	920
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	114 800 0008
Resistance [Ohm]	1650
	Inductive Sensor

References

AUDI	8D0 927 807 F
------	---------------



Application info

AUDI A4 (8D2, 8D5, B5) (11/94-09/01)

ABS wheel sensor

114 800 0008
MAS0365

Notes

	Left Rear
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	114 800 0007
Required quantity	1
	for vehicles with headlamp levelling
	Inductive Sensor

References

AUDI	8D0 927 807 G
------	---------------

Application info

AUDI A4 (8D2, 8D5, B5) (11/94-09/01)

ABS wheel sensor

114 800 0024
MAS0345

Notes

Cable Length [mm]	480
Number of Poles	4
Number of Poles	2
Operating voltage [V]	12
	for vehicles with brake pad wear indicator
	Hall Sensor
	prepared for wear indicator

References

FORD	1 207 332
	2M21-2B372-EA
SEAT	7M3 927 807 N
VW	7M3 927 807 N



Application info

FORD Galaxy I (03/95-05/06)
SEAT Alhambra I (7V8, 7V9) (04/96-03/10)

VW Sharan (7M) (09/95-03/10)



ABS wheel sensor

114 800 0025
MAS0346

Notes

Cable Length [mm]	480
Number of Poles	4
Operating voltage [V]	12
	Hall Sensor
	not prepared for wear indicator

References

FORD	1 207 323
	2M21-2B372-DA
SEAT	7M3 927 807 M
VW	7M3 927 807 M



Application info

FORD Galaxy I (03/95-05/06)	VW Sharan (7M) (09/95-03/10)
SEAT Alhambra I (7V8, 7V9) (04/96-03/10)	

ABS wheel sensor

16-14 800 0016
MAS0347

Notes

	Rear Axle left and right
Cable Length [mm]	845
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

GENERAL MOTORS	93194900
OPEL	44 18 643
RENAULT	8200724127
VAUXHALL	44 18 643



Application info

OPEL Vivaro (08/01--)	VAUXHALL Vivaro (08/01-12/06)
RENAULT Trafic II (03/01-07/03)	



ABS wheel sensor

16-14 800 0017
MAS0348

Notes

Cable Length [mm]	640
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor



References

GENERAL MOTORS	93192439
OPEL	44 18 054
RENAULT	8200583498
VAUXHALL	44 18 054

Application info

OPEL Vivaro (08/01--)	VAUXHALL Vivaro (08/01-12/06)
RENAULT Trafic II (03/01-07/03)	

ABS wheel sensor

16-14 800 0018
MAS0349

Notes

Length [mm]	690
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	16-14 800 0019
Required quantity	1
	for vehicles with ABS
	for vehicles without ESP
	Inductive Sensor



References

RENAULT	7700411745
---------	------------

Application info

RENAULT Clio II / Thalia (02/98-02/10)



ABS wheel sensor

16-14 800 0019
MAS0350

Notes

	Rear Axle Right
Cable Length [mm]	1560
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	16-14 800 0018
Required quantity	1
	for vehicles with ABS
	for vehicles without ESP
	Inductive Sensor

References

RENAULT	7700411746
---------	------------

Application info

RENAULT Clio II / Thalia (02/98-02/10)

ABS wheel sensor

40-14 800 0021
MAS0351

Notes

	Front Axle left and right
Cable Length [mm]	895
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

CITROËN	4545.F1
FIAT	51725099
PEUGEOT	4545.F1



Application info

CITROËN Jumper III (04/06--)
FIAT Ducato (250) (07/06--)

PEUGEOT Boxer III (04/06--)

ABS wheel sensor
40-14 800 0024
 MAS0352

Notes

	Rear Axle left and right
Cable Length [mm]	915
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

CITROËN	4545.E8
PEUGEOT	4545.E8


Application info

CITROËN Berlingo II (04/08--)	PEUGEOT 5008 (06/09--)
CITROËN C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)	PEUGEOT Partner II (04/08--)

ABS wheel sensor
514 800 0016
 MAS0340

Notes

Cable Length [mm]	1085
Number of Poles	2
Operating voltage [V]	12
	Hall Sensor

References

VOLVO	30773740
-------	----------


Application info

VOLVO S60 I / V70 II (03/00-04/10)	VOLVO XC70 I (11/97-08/07)
VOLVO S80 I (05/98-07/06)	

ABS wheel sensor
514 800 0018
 MAS0341

Notes

	Front Axle Left
Cable Length [mm]	975
Number of Poles	2
Operating voltage [V]	12
Required quantity	1
	Hall Sensor

References

VOLVO	30773738
-------	----------


Application info

VOLVO S60 I / V70 II (03/00-04/10)	VOLVO XC70 I (11/97-08/07)
VOLVO S80 I (05/98-07/06)	



ABS wheel sensor

514 800 0027
MAS0343

Notes

	Rear Axle left and right
Cable Length [mm]	1220
Cable Length [mm]	1840
Number of Poles	4
Operating voltage [V]	12
Required quantity	1
Resistance [Ohm]	1160
	Inductive Sensor



References

VOLVO	9162612
-------	---------

Application info

VOLVO 850 (06/91-10/97)

VOLVO C/S/V 70 (11/96-10/05)

ABS wheel sensor

714 800 0022
MAS0291

Notes

	Rear Axle Right
Cable Length [mm]	2000
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	714 800 0023
Required quantity	1
	Inductive Sensor

References

FORD	1C15-2B372-AC 4 537 234
------	----------------------------

Application info

FORD Transit '00 (01/00-05/06)

ABS wheel sensor

714 800 0023
MAS0336

Notes

	Rear Axle Left
Cable Length [mm]	1410
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	714 800 0022
Required quantity	1
	Inductive Sensor



References

FORD	1C15-2B372-BB 4 537 235
------	----------------------------

Application info

FORD Transit '00 (01/00-05/06)



Crank position sensor

214 800 0016

MPS0059

Notes

Cable Length [mm]	400
Fitting Depth [mm]	36
Number of Poles	3
Operating voltage [V]	12
Resistance [Ohm]	900
	Inductive Sensor

References

ALFA ROMEO	46806128
FIAT	46806128
LANCIA	46806128

Application info

ALFA ROMEO 156 (09/97-05/06)	FIAT Punto II (09/99-10/09)
ALFA ROMEO 166 (09/98-06/07)	FIAT Stilo (10/01-08/08)
FIAT Brava / Bravo (182) (10/95-12/02)	LANCIA Kappa (08/94-10/01)
FIAT Doblo (119, 223) (03/01-01/10)	LANCIA Lybra (07/99-10/05)
FIAT Marea / Multipla (09/96-06/10)	LANCIA Thesis (07/02-07/09)
FIAT Palio / Albea / Siena / Strada (04/96-10/07)	



Engine mount

014 024 0143
MEM0765

Notes

Left and right
Hydro Bearing
with cap

References

MERCEDES-BENZ

204 240 20 17



Application info

MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)

Engine mount

11-14 030 0026
MEM0759

Notes

Rear
Rubber-metal Bearing

References

CITROËN

1809.42

Application info

CITROËN C5 III (RD_, TD_) (02/08--)

Engine mount

16-14 030 0092
MEM0761

Notes

Right
Hydro Bearing

References

RENAULT

8200437589

Application info

RENAULT Twingo II / Wind (03/07--)

Engine mount

40-14 030 0101
 MEM0762

Notes

Required quantity	Rear 1 Rubber-metal Bearing
-------------------	-----------------------------------

References

CITROËN	1807.HC
	1807.HE
	1809.35
	1809.44
PEUGEOT	1807.HC
	1807.HE
	1809.35
	1809.44

Application info

CITROËN Berlingo II (04/08--)	PEUGEOT 308 II (09/13--)
CITROËN C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)	PEUGEOT 5008 (06/09--)
CITROËN C4 II / DS4 (11/09--)	PEUGEOT Partner II (04/08--)
PEUGEOT 3008 (06/09--)	PEUGEOT RCZ (03/10--)
PEUGEOT 308 (09/07--)	

Engine mount

834 030 0002
 MEM0767

Notes

Height [mm]	Left and right 68
Outer diameter [mm]	110
Required quantity	2
Thread Size	M10x1,5 Green Rubber-metal Bearing Steel Elastomer



References

SCANIA	1 496 288
--------	-----------

Application info

SCANIA 4 - series (05/95--)

Engine mount

834 030 0004
MEM0766

Notes

Height [mm]	Left and right
Outer diameter [mm]	68
Required quantity	110
Thread Size	2
	M10x1,5
	Red
	Rubber Bush
	Steel Elastomer



References

SCANIA	1 496 749
--------	-----------

Application info

SCANIA 4 - series (05/95--)

Expansion tank

014 223 0006
MET0090

Notes

References

MERCEDES-BENZ	251 500 00 49
---------------	---------------



Application info

MERCEDES-BENZ BM 251 (R-Class) (01/06--)

Seal, crankcase breather

034 005 0002
MMX1469

Notes

References

MERCEDES-BENZ	541 018 03 33
---------------	---------------

Application info

MERCEDES-BENZ ACTROS (04/96-10/03)

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

Thermostat

028 228 0000
MTH0111

Notes

Opening Temperature [°C]	87
	Metal Housing with seal

References

CHRYSLER	5098 918AA
MERCEDES-BENZ	112 203 02 75



Application info

CHRYSLER Crossfire (07/03-12/07)	MERCEDES-BENZ BM 210 (E-Class) (06/95-03/03)
MERCEDES-BENZ BM 129 (SL) (03/89-12/01)	MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)
MERCEDES-BENZ BM 163 (M-Class) (02/98-06/05)	MERCEDES-BENZ BM 215 (S-Class) (03/99-03/06)
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)	MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)
MERCEDES-BENZ BM 170 (SLK) (09/96-04/04)	MERCEDES-BENZ BM 220 (S-Class) (10/98-08/05)
MERCEDES-BENZ BM 202 (C-Class) (03/93-03/01)	MERCEDES-BENZ BM 230 (SL) (10/01-01/12)
MERCEDES-BENZ BM 203 (C-Class) (05/00-06/11)	MERCEDES-BENZ BM 251 (R-Class) (01/06--)
MERCEDES-BENZ BM 208 (CLK) (06/97-07/02)	MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)
MERCEDES-BENZ BM 209 (CLK) (06/02-03/10)	MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)


V-ribbed belt

050 004 0654
MRB0056

Notes

Length [mm]	654
Number of Ribs	4

References



Application info


V-ribbed belt

050 004 0760
MRB0071

Notes

Length [mm]	760
Number of Ribs	4

References



Application info


V-ribbed belt

050 006 0970
 MRB0335

Notes

 Length [mm] 970
 Number of Ribs 6

References



Application info

V-ribbed belt

050 007 1815
 MRB0618

Notes

 Length [mm] 1815
 Number of Ribs 7

References



Application info

V-ribbed belt

050 007 2569/D
 MRB0635

Notes

 Length [mm] 2569
 Number of Ribs 7
 Double-sided

References



Application info

Tie rod end


016 020 0052/HD
 MTE0712HD

Notes

	Front Axle Right
Length [mm]	224
Paired article numbers	016 020 0053/HD
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5

References

MERCEDES-BENZ	222 330 02 03
---------------	---------------

Application info

MERCEDES-BENZ BM 222 (S-Class) (05/13--)

Tie rod end


016 020 0053/HD
 MTE0713HD

Notes

	Front Axle Left
Length [mm]	224
Paired article numbers	016 020 0052/HD
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5

References

MERCEDES-BENZ	222 330 01 03
---------------	---------------

Application info

MERCEDES-BENZ BM 222 (S-Class) (05/13--)

Tie rod end

016 020 0054
 MTE0714

Notes

	Front Axle Right
Length [mm]	205,5
Paired article numbers	016 020 0055
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5

References

MERCEDES-BENZ	212 460 02 05
---------------	---------------



Application info

 MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)
 MERCEDES-BENZ BM 218 (CLS) (01/11--)

MERCEDES-BENZ BM 218 (CLS) (10/12--)

Tie rod end

016 020 0055
 MTE0715

Notes

Length [mm]	Front Axle Left 205,5
Paired article numbers	016 020 0054
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5

References

MERCEDES-BENZ	212 460 01 05
---------------	---------------



Application info

 MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)
 MERCEDES-BENZ BM 218 (CLS) (01/11--)

MERCEDES-BENZ BM 218 (CLS) (10/12--)

Tie rod end

35-16 020 0005
 MTE0716

Notes

Length [mm]	Front Axle Left Front Axle Right 165
Thread Measurement 1	M12x1,25
Thread Measurement 2	M14x1,5

References

MAZDA	NE51-32 280A
-------	--------------



Application info

MAZDA MX-5 (NC) (03/05--)

Tie rod end


516 020 0012/HD
 MTE0717HD

Notes

Length [mm]	Front Axle Right 109,5
Paired article numbers	516 020 0013/HD
Thread Measurement 1	M10x1,5
Thread Measurement 2	M16x1,5

References

VOLVO	31317819
-------	----------



Application info

VOLVO V40 II (03/12--)

Tie rod end



516 020 0013/HD
MTE0718HD

Notes

Length [mm]	Front Axle Left 109,5
Paired article numbers	516 020 0012/HD
Thread Measurement 1	M10x1,5
Thread Measurement 2	M16x1,5

References

VOLVO	31317781
-------	----------



Application info

VOLVO V40 II (03/12--)

Bushing, leaf spring

034 032 0144
 MCX0514

Notes

	Rear Axle left and right
Height [mm]	95,5
Inner diameter [mm]	16
Outer diameter [mm]	50

References

MERCEDES-BENZ	970 320 00 44
---------------	---------------



Application info

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

Control arm


316 050 0095/HD
 MCA1004HD

Notes

	Front Axle Left
Paired article numbers	316 050 0096/HD
	Aluminium
	Control Arm
	with rubber mounting

References

BMW	31 10 6 770 685
-----	-----------------



Application info

BMW 5 (E60, E61) (07/03-08/10)

Control arm


316 050 0096/HD
 MCA1005HD

Notes

	Front Axle Right
Paired article numbers	316 050 0095/HD
	Aluminium
	Control Arm
	with rubber mounting

References

BMW	31 10 6 770 686
-----	-----------------



Application info

BMW 5 (E60, E61) (07/03-08/10)

Mount, axle carrier

300 331 7107
 MCX0489

Notes

	Front
	Rear Axle Left
	Rear Axle Right
Height [mm]	54
Inner diameter [mm]	12,2
Outer diameter [mm]	52



References

BMW	33 17 6 770 457
-----	-----------------

Application info

BMW X5 (E53) (05/00--)

Mount, stabilizer

014 715 0007
 MSB0363

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	10
Stabiliser Diameter [mm]	17



References

MERCEDES-BENZ	906 326 21 81
VW	2E0 511 413 M

Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

Mount, stabilizer

034 032 0138
 MSB0364

Notes

	Front Axle
Height [mm]	70
Inner diameter [mm]	42
Outer diameter [mm]	73



References

SETRA	179-23.11.180-04
-------	------------------

Application info

 SETRA Series 200 (01/73--)
 SETRA Series 300 (09/91-02/02)

SETRA Series 400 (10/01--)

Mount, stabilizer

314 715 0006

MSB0361

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	17,5
Stabiliser Diameter [mm]	18,5

References

BMW	33 55 6 788 058
-----	-----------------



Application info

BMW X3 (F25) (09/10--)

BMW X4 (F26) (04/14--)

Mount, stabilizer

314 715 0007

MSB0362

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	19,5
Stabiliser Diameter [mm]	20,5

References

BMW	33 55 6 788 063
-----	-----------------



Application info

BMW X3 (F25) (09/10--)

BMW X4 (F26) (04/14--)

Repair kit, control arm

16-34 653 0005

MCX0515

Notes

	Centre
Bore Ø [mm]	23
Outer diameter [mm]	108
Thickness [mm]	30
Width 1 [mm]	82
Width 2 [mm]	165
	Wishbone (CV)

References

RENAULT TRUCKS	74 20 864 587
----------------	---------------



Application info

Repair kit, stabilizer bushing

014 715 0005/S
 MCX0512

Notes

	Rear Axle
Inner diameter [mm]	11
Stabiliser Diameter [mm]	17
	with screws

References

MERCEDES-BENZ	906 326 19 40
	906 326 21 81
VW	2E0 511 235 F
	2E0 511 413 M



Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

Shock absorber

30-26 623 0013
 MSA0680

Notes

Front Axle
Gas Pressure
Suspension Strut
Twin-Tube

References

TOYOTA	48510-59159
--------	-------------



Application info

TOYOTA Yaris I (04/99-09/05)

Shock absorber

36-26 623 0006
 MSA0685

Notes

Paired article numbers	Front Axle Left
	36-26 623 0007
	Gas Pressure
	Suspension Strut
	Twin-Tube

References

NISSAN	54303-JD73A
--------	-------------



Application info

NISSAN Qashqai I (02/07--)

Shock absorber

36-26 623 0007
 MSA0686

Notes

Paired article numbers

Front Axle Right
 36-26 623 0006
 Gas Pressure
 Suspension Strut
 Twin-Tube

References

NISSAN 54302-JD73A

Application info

NISSAN Qashqai I (02/07--)

Stabilizer link

016 060 0058
 MSL0703

Notes

Inner diameter 1 [mm] 13,5
 Inner diameter 2 [mm] 10,5
 Length [mm] 11

Rear Axle Left
 Rear Axle Right

Coupling Rod
 with rubber mounting



References

MERCEDES-BENZ 639 326 02 16

Application info

MERCEDES-BENZ BM 638 (V-Class / Vito) (02/96-07/03)

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Stabilizer link


316 060 0060/HD
 MSL0706HD

Notes

Reinforced Version

Rear Axle Left
 Rear Axle Right

Length [mm] 233
 Thread Measurement 1 M10x1,5
 Thread Measurement 2 M10x1,5

Coupling Rod
 with spanner attachment



References

MINI 33 50 6 772 789
 33 50 6 781 133
 33 55 1 507 999

Application info

MINI Mini I (06/01-11/07)

MINI Mini II (10/06-07/10)