



Gear shift knob

14-34 026 0003
MIX0312

Notes

Length [mm]	155
Number of connectors	3
Outer thread [mm]	M42x1,5
	Manual Transmission

References

DAF	1285 258
-----	----------



Application info

DAF 75 CF (02/98-12/00)	DAF CF 75 (01/01--)
DAF 85 CF (02/98-12/00)	DAF CF 85 (01/01--)
DAF 95 XF (01/97-09/02)	

Gear shift knob

534 026 0004
MIX0313

Notes

Length [mm]	138
Number of connectors	3
	Black
	Manual Transmission

References

VOLVO	1673106
-------	---------



Application info

VOLVO F 10 (08/77-12/94)	VOLVO FL 7 (09/85-09/98)
VOLVO F 12 (08/77-12/94)	VOLVO FM 12 (08/98-09/05)
VOLVO FH 12 (08/93--)	VOLVO FM 7 (08/98-12/01)
VOLVO FL 10 (09/85-09/98)	VOLVO NH 12 (05/99--)
VOLVO FL 6 (09/85-03/00)	



Brake disc

11-15 521 0030

MBD1702

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	28
Centering Diameter [mm]	71
Height [mm]	48
Minimum thickness [mm]	26
Number of Holes	5
Outer diameter [mm]	304
Wheel Bolt Bore Ø [mm]	13,2
	Vented

References

CITROËN	4249.K1
PEUGEOT	4249.K1

Application info

CITROËN C4 Grand Picasso II (09/13--)	PEUGEOT 308 II (09/13--)
CITROËN C4 II / DS4 (11/09--)	PEUGEOT 407 (05/04-12/09)
CITROËN C5 III (RD_, TD_) (02/08--)	PEUGEOT 508 (11/10--)

Brake disc

615 521 0029

MBD1703

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	114,3
Brake Disc Thickness [mm]	28
Centering Diameter [mm]	68
Height [mm]	44
Minimum thickness [mm]	23,4
Number of Holes	5
Outer diameter [mm]	296
	Vented

References

GENERAL MOTORS	93866700
OPEL	44 22 285
RENAULT	402066352R
VAUXHALL	44 22 285

Application info


OPEL Vivaro B (06/14--)	VAUXHALL Vivaro B (05/14--)
RENAULT Trafic III (05/14--)	

Brake pad set

025 232 6920/PD
 MBP0826PD

Notes

Brake System	Front Axle
Height 1 [mm]	ATE
Height 2 [mm]	73,2
Number of wear indicators [per axle]	74,8
Quality	2
Thickness [mm]	PREMIUM
Warning Contact Length [mm]	19,4
Width [mm]	260
	161,5
	incl. wear warning contact with anti-squeak plate


References

FORD	1 237 133
SEAT	7M3 698 151 A
VW	7M3 698 151 A

Application info

 FORD Galaxy I (03/95-05/06)
 SEAT Alhambra I (7V8, 7V9) (04/96-03/10)


 VW Sharan (7M) (09/95-03/10)
 VW Transporter IV (07/90-04/03)

Brake pad set

025 235 4117/PD
 MBP0794PD

Notes

Brake System	Front Axle
Height [mm]	BREMBO
Quality	78,6
Thickness [mm]	PREMIUM
Width [mm]	17,5
	97,7
	prepared for wear indicator with anti-squeak plate


References

MERCEDES-BENZ	199 421 00 10
---------------	---------------

Application info

 MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)
 MERCEDES-BENZ BM 215 (S-Class) (03/99-03/06)
 MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)


 MERCEDES-BENZ BM 220 (S-Class) (10/98-08/05)
 MERCEDES-BENZ BM 230 (SL) (10/01-01/12)

Brake pad set


025 241 5120/PD
 MBP0535PD

Notes

Brake System	Front Axle
Height [mm]	ATE
Quality	80,3
Thickness [mm]	PREMIUM
Width 1 [mm]	20,1
Width 2 [mm]	193,2
	192,9
	prepared for wear indicator with anti-squeak plate



References

MERCEDES-BENZ	164 420 13 20
---------------	---------------

Application info

 MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)
 MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)


MERCEDES-BENZ BM 251 (R-Class) (01/06--)

Brake pad set


025 243 1019/PD
 MBP0566PD

Notes

Brake System	Front Axle
Height 1 [mm]	TRW
Height 2 [mm]	73,3
Quality	80,3
Thickness [mm]	PREMIUM
Width [mm]	19,4
	188
	prepared for wear indicator with anti-squeak plate



References

MERCEDES-BENZ	005 420 16 20
	007 420 58 20
MERCEDES-BENZ (BBDC)	007 420 75 20

Application info

 MERCEDES-BENZ BM 172 (SLK) (02/11--)
 MERCEDES-BENZ BM 204 (C-Class) (01/07--)
 MERCEDES-BENZ BM 207 (E-Class) (01/09--)
 MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)

 MERCEDES-BENZ BM 218 (CLS) (01/11--)
 MERCEDES-BENZ BM 218 (CLS) (10/12--)
 MERCEDES-BENZ (BBDC) C-CLASS (W204) (03/08-10/09)
 MERCEDES-BENZ (BBDC) E-CLASS (W212) (06/10--)




Brake pad set



025 246 0617-2/PD
MBP0833PD

Notes

Brake System	Rear Axle
Height [mm]	TRW
Quality	58,5
Thickness/Strength 1 [mm]	PREMIUM
Thickness/Strength 2 [mm]	17,4
Width [mm]	17,7
	116,4
	not prepared for wear indicator
	with accessories
	with anti-squeak plate



References

AUDI	8K0 698 451 D
	8K0 698 451 E
AUDI (FAW)	8KD 698 451 A

Application info

AUDI A4 (8K2, 8K5, 8KH) (11/07--)	AUDI (FAW) A4L (B8) (12/07-09/08)
AUDI A5 (8F, 8T) (06/07--)	AUDI (FAW) Q5 (03/10--)
AUDI Q5 (8R) (11/08--)	


Brake pad set



025 247 0318/PD
MBP0656PD

Notes

Brake System	Rear Axle
Height 1 [mm]	TRW
Height 2 [mm]	72,4
Quality	65,5
Thickness [mm]	PREMIUM
Width [mm]	18
	116
	prepared for wear indicator
	with anti-squeak plate



References

BMW	34 21 2 284 389
	34 21 2 284 466
	34 21 6 775 346

Application info

BMW 5 (F10, F11) (03/10-12/11)	BMW 6 (F12, F13) (11/10-12/12)
--------------------------------	--------------------------------



Pressure limiting valve

12-34 820 0002
MBX0267

Notes

References

MAN	51.10304.0291
RENAULT TRUCKS	74 20 793 590
VOLVO	20793590

Application info

MAN HOCL (01/85-05/09)	MAN TGS (09/07--)
MAN LION'S CITY (08/04--)	MAN TGX (09/07--)
MAN NG	RENAULT TRUCKS Premium 2 (10/05--)
MAN TGA (04/00--)	VOLVO FE (05/06--)
MAN TGL (04/05--)	VOLVO FL II (05/06--)
MAN TGM (10/05--)	

Pressure switch, brake hydraulics

034 899 0005
MBX0266

Notes

Thread Size M24x1

References

MERCEDES-BENZ	000 545 54 14
---------------	---------------

Application info

MERCEDES-BENZ LK/LN2 (01/84-12/98)	MERCEDES-BENZ SK (07/87-09/96)
MERCEDES-BENZ MK (12/87-09/96)	MERCEDES-BENZ UNIMOG (01/55-03/90)
MERCEDES-BENZ NG (08/73-09/96)	



Drive shaft support

300 261 2118/S
MDM0096

Notes

Inner diameter [mm] 30
Aluminium
with ball bearing

References

BMW 26 12 8 615 621



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

Parts kit, automatic transm. oil change

014 135 0304
MOK0054

Notes

Manufacturer Restriction MERCEDES-BENZ
not for PR number CODE: A89
Transmission Type 7G-TRONIC
Transmission Type W7X 700
Transmission Type W7N 700
Transmission Type W7C 700
Transmission Type W7C 1000
Transmission Type W7B 700
Transmission Type K7X 1000
Transmission Type K7C 1000
Transmission Type 722.9
Automatic Transmission, 7-speed
Kit
with accessories

References

MERCEDES-BENZ 221 277 01 95



Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)
MERCEDES-BENZ BM 171 (SLK) (03/04-02/11)
MERCEDES-BENZ BM 203 (C-Class) (05/00-06/11)
MERCEDES-BENZ BM 204 (C-Class) (01/07--)
MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)
MERCEDES-BENZ BM 207 (E-Class) (01/09--)
MERCEDES-BENZ BM 209 (CLK) (06/02-03/10)
MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)
MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)

MERCEDES-BENZ BM 215 (S-Class) (03/99-03/06)
MERCEDES-BENZ BM 216 (S-Class) (05/06--)
MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)
MERCEDES-BENZ BM 220 (S-Class) (10/98-08/05)
MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)
MERCEDES-BENZ BM 230 (SL) (10/01-01/12)
MERCEDES-BENZ BM 251 (R-Class) (01/06--)
MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)
MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

Parts kit, automatic transm. oil change

014 135 0404
MOK0055

Notes

Manufacturer Restriction	MERCEDES-BENZ
Transmission Type	722.9
Transmission Type	7G-TRONIC +
Transmission Type	K7C 1000
Transmission Type	K7X 1000
Transmission Type	W7B 700
Transmission Type	W7C 1000
Transmission Type	W7C 700
Transmission Type	W7N 700
Transmission Type	W7X 700
	Automatic Transmission, 7-speed
	Kit
	with accessories



References

MERCEDES-BENZ	222 277 20 00
---------------	---------------

Application info

MERCEDES-BENZ BM 164 (GL-Class) (09/06-05/09)	MERCEDES-BENZ BM 216 (S-Class) (05/06--)
MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)	MERCEDES-BENZ BM 218 (CLS) (01/11--)
MERCEDES-BENZ BM 166 (GL) (07/12--)	MERCEDES-BENZ BM 218 (CLS) (10/12--)
MERCEDES-BENZ BM 166 (GLE) (03/15--)	MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)
MERCEDES-BENZ BM 166 (GLS) (11/15--)	MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)
MERCEDES-BENZ BM 166 (M-Class) (06/11--)	MERCEDES-BENZ BM 222 (S-Class) (05/13--)
MERCEDES-BENZ BM 171 (SLK) (03/04-02/11)	MERCEDES-BENZ BM 230 (SL) (10/01-01/12)
MERCEDES-BENZ BM 172 (SLK) (02/11--)	MERCEDES-BENZ BM 231 (SL) (01/12--)
MERCEDES-BENZ BM 204 (C-Class) (01/07--)	MERCEDES-BENZ BM 251 (R-Class) (01/06--)
MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)	MERCEDES-BENZ BM 447 (V-Class) (03/14--)
MERCEDES-BENZ BM 205 (C-Class) (12/13--)	MERCEDES-BENZ BM 447 (Vito) (10/14--)
MERCEDES-BENZ BM 205 (C-Class) (10/15--)	MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)
MERCEDES-BENZ BM 207 (E-Class) (01/09--)	MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)
MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)	MERCEDES-BENZ (BBDC) C-CLASS (W205) (08/14--)

Parts kit, automatic transm. oil change

100 135 0108
MOK0058

Notes

Manufacturer Restriction	AISIN WARNER
Transmission Type	TR-80SD
Transmission Type	OC8
	Automatic Transmission, 8-speed
	Kit
	with accessories

References

AUDI	OC8 325 435
PORSCHE	958 325 435 00
VW	OC8 325 435

Application info

AUDI Q7 (4L) (03/06-05/12)	VW Touareg (7P5) (01/10--)
PORSCHE Cayenne II (06/10--)	



Parts kit, automatic transm. oil change

100 135 0114
MOK0056

Notes

Manufacturer Restriction	AUDI S-TRONIC
Transmission Type	0B5
Transmission Type	DL501
Transmission Type	DSG
	7-Speed dual-clutch transmission
	Kit
	with accessories

References

AUDI	0B5 325 429 E
VW	0B5 325 429 E



Application info

AUDI A4 (8K2, 8K5, 8KH) (11/07--)
 AUDI A5 (8F, 8T) (06/07--)
 AUDI A6 (4G2, 4G5, C7) (11/10-05/13)

AUDI A7 Sportback (4GA) (10/10--)
 AUDI Q5 (8R) (11/08--)

Parts kit, automatic transm. oil change

300 135 1007/SK
MOK0057

Notes

Alternative Repair Kit	Slim Set
Manufacturer Restriction	300 135 0007
Transmission Type	ZF
Transmission Type	8HP45
	8HP70
	Automatic Transmission, 8-speed
	Kit
	Plastic
	with accessories

References

BMW	24 11 8 612 901
-----	-----------------



Application info

BMW 1 (F20, F21) (11/10--)
 BMW 3 (F30, F31) (10/11--)
 BMW 3 (F34) (03/13--)
 BMW 4 (F32, F33, F36) (07/13--)
 BMW 5 (F07) (10/09-12/10)
 BMW 5 (F10, F11) (03/10-12/11)
 BMW 6 (F12, F13) (11/10-12/12)

BMW 7 (F01, F02, F03, F04) (06/08--)
 BMW X1 (E84) (03/09--)
 BMW X3 (F25) (09/10--)
 BMW X5 (E70) (02/07-03/10)
 BMW X6 (E71) (05/08--)
 BMW Z4 (E89) (05/09--)

ABS wheel sensor

014 800 0114
 MAS0344

Notes

	Front Axle left and right
Cable Length [mm]	765
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

MERCEDES-BENZ	204 540 05 17
---------------	---------------

Application info

MERCEDES-BENZ BM 204 (C-Class) (01/07--)

MERCEDES-BENZ BM 204 (GLK-Class) (06/08-04/11)

ABS wheel sensor

114 800 0041
 MAS0337

Notes

	Rear Axle Left
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	114 800 0042
Required quantity	1
	Hall Sensor without cable



References

AUDI	WHT 003 859 A
SEAT	WHT 003 859 A
SKODA	WHT 003 859 A
VW	WHT 003 859 A

Application info

 AUDI Q3 (8U) (06/11--)
 SEAT Alhambra II (710) (06/10-05/11)
 SKODA Superb II (3T) (03/08-11/10)
 SKODA Yeti (5L) (05/09--)
 VW CC (11/11--)
 VW Eos (03/06-11/10)
 VW Golf VI (5K1, 517, AJ5) (10/08-11/13)

 VW Jetta IV (162) (04/10--)
 VW Passat (362, 365) (08/10--)
 VW Scirocco (137) (05/08-05/11)
 VW Sharan (7N) (05/10-05/12)
 VW Tiguan (09/07-08/09)
 VW Touran (1T3) (05/10-01/13)



Sender, oil pressure

534 820 0001
MEX0579

Notes

Number of Poles	3
Operating voltage [V]	24
Spanner Size	17
Thread Size	M18x1,5
	Active sensor

References

VOLVO	21634021
-------	----------

Application info

Sender, oil pressure

534 820 0002
MEX0580

Notes

Number of Poles	3
Operating voltage [V]	24
Spanner Size	19
Thread Size	M16x1,5
	Active sensor

References

RENAULT TRUCKS	74 20 514 065
VOLVO	20803650

Application info

Window motor

034 910 0014
MEX0486

Notes

	Right
Operating voltage [V]	24
Paired article numbers	034 910 0013

References

MERCEDES-BENZ	005 820 91 42
---------------	---------------



Application info

MERCEDES-BENZ ACTROS (04/96-10/03)

Clutch master cylinder

537 142 0006
MMX1465

Notes

Bore Ø [mm] 28,6
 Black
 Brake Fluid
 Plastic

References

VOLVO 20553587



Application info

VOLVO FH 12 (08/93--)
 VOLVO FH 16 (08/93-12/02)
 VOLVO FM 12 (08/98-09/05)
 VOLVO FM 7 (08/98-12/01)
 VOLVO FM 9 (12/01-09/05)
 VOLVO NH 12 (05/99--)

Engine mount

014 024 0158
MEM0718

Notes

Hydro Bearing
 with protective cap/bellow

References

MERCEDES-BENZ 211 240 33 17
 220 240 27 17
 220 240 33 17

Application info

MERCEDES-BENZ BM 209 (CLK) (06/02-03/10)
 MERCEDES-BENZ BM 210 (E-Class) (06/95-03/03)
 MERCEDES-BENZ BM 211 (E-Class) (03/02-07/09)
 MERCEDES-BENZ BM 215 (S-Class) (03/99-03/06)
 MERCEDES-BENZ BM 216 (S-Class) (05/06--)
 MERCEDES-BENZ BM 219 (CLS) (10/04-12/10)
 MERCEDES-BENZ BM 220 (S-Class) (10/98-08/05)
 MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)
 MERCEDES-BENZ BM 230 (SL) (10/01-01/12)

Engine mount

100 199 0190
MEM0757

Notes

Left and right
 Hydro Bearing

References

AUDI 7L8 199 131 A
 VW 7L8 199 131 A



Application info

AUDI Q7 (4L) (03/06-05/12)
 VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)

Engine mount

11-14 030 0140
 MEM0760

Notes

 Rear
 Aluminium Housing
 Rubber-metal Bearing
 with holder


References

CITROËN	1807.CQ
PEUGEOT	1807.CQ

Application info

PEUGEOT 206 (08/98-03/09)

Engine mount

11-14 184 1013
 MEM0758

Notes

 Right
 Hydro Bearing

References

CITROËN	1844.77
PEUGEOT	1844.77

Application info

CITROËN Berlingo I (07/96-12/07)	PEUGEOT 206 (08/98-03/09)
CITROËN Xsara (04/97-08/05)	PEUGEOT 406 (11/95-12/04)
CITROËN Xsara Picasso (12/99-09/06)	PEUGEOT Partner I (04/96-10/06)

Fan blade

034 232 0002
 MMX0257

Notes

Diameter [mm]	600
Number of Wings	8

References

MERCEDES-BENZ	904 205 04 06
---------------	---------------



Application info

MERCEDES-BENZ ATEGO (01/98-10/04)	MERCEDES-BENZ CITO (O 520) (06/99--)
MERCEDES-BENZ ATEGO 2 (10/04--)	

Fan blade

034 232 0003
 MMX0258

Notes

 Diameter [mm] 760
 Number of Wings 8

References

MERCEDES-BENZ 003 205 42 06



Application info

MERCEDES-BENZ ACTROS (04/96-10/03)

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

Fan blade

034 232 0004
 MMX0259

Notes

 Diameter [mm] 718
 Number of Wings 8

References

MERCEDES-BENZ 003 205 45 06



Application info

MERCEDES-BENZ ACTROS (04/96-10/03)

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

MERCEDES-BENZ AXOR (01/02-10/04)

MERCEDES-BENZ AXOR 2 (10/04-10/05)

Fan blade

034 232 0005
 MMX0260

Notes

 Diameter [mm] 654
 Number of Wings 8

References

MERCEDES-BENZ 906 205 01 06



Application info

MERCEDES-BENZ ATEGO (01/98-10/04)

MERCEDES-BENZ ATEGO 2 (10/04--)

MERCEDES-BENZ AXOR (01/02-10/04)

MERCEDES-BENZ AXOR 2 (10/04-10/05)

MERCEDES-BENZ CITARO (O 530) (01/98--)

MERCEDES-BENZ CONECTO (O 345) (11/01--)

MERCEDES-BENZ ECONIC (01/98--)

MERCEDES-BENZ TOURINO (O 510) (10/03--)

MERCEDES-BENZ UNIMOG (01/55-03/90)

MERCEDES-BENZ ZETROS (09/08--)

Fan blade


034 232 0006
MMX0261

Notes

Number of Wings 11

References

MERCEDES-BENZ 541 205 00 06



Application info

Fuel filter

100 323 0028
MFF0264

Notes

 Height [mm] 131
 Outer diameter [mm] 71
 Filter Insert

References

VW 2E0 127 159



Application info

VW Crafter (04/06-07/11)

Fuel filter

14-34 018 0016
MFF0265

Notes

 Height [mm] 231
 Outer diameter [mm] 108
 Thread Size 1-14 UNS -1B
 Screw-on Filter with seal

References

 CLAAS 240 210.00
 DAF 1433 649
 MAN 51.12501.7260
 SOLARIS 0112142450


Application info

 DAF 95 XF (01/97-09/02)
 DAF CF 75 (01/01--)
 DAF CF 85 (01/01--)
 DAF XF 105 (10/05--)
 DAF XF 95 (09/02-12/06)
 VAN HOOL T-Serie



Intake hose, turbo charger

100 036 0035
MMX1470

Notes

References

SKODA	3B0 145 834 N
VW	3B0 145 834 N



Application info

SKODA Superb I (3U) (12/01-03/08)

VW Passat (3B_) (08/96-08/05)

Intake hose, turbo charger

100 036 0036
MMX1471

Notes

References

AUDI	1K0 145 832 B
SEAT	1K0 145 832 B
SKODA	1K0 145 832 B
VW	1K0 145 832 B



Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)

AUDI TT (8J3, 8J9) (08/06-06/10)

SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)

SKODA Octavia II (1Z_) (02/04-12/10)

SKODA Superb II (3T) (03/08-11/10)

VW Caddy III (2KA, 2KB) (03/04-08/10)

VW Eos (03/06-11/10)

VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)

VW Jetta III (1K2) (08/05-10/10)

VW Touran (1T1, 1T2) (02/03-05/10)

Intake hose, turbo charger

100 036 0037
MMX1472

Notes

References

AUDI	3B0 145 834 P
SKODA	3B0 145 834 P
VW	3B0 145 834 P



Application info

AUDI A4 (8E2, 8E5, B6) (10/00-12/04)

AUDI A6 (4B, C5) (01/97-01/05)

SKODA Superb I (3U) (12/01-03/08)

VW Passat (3B_) (08/96-08/05)

Thermostat

828 280 0001
 MTH0117

Notes

Opening Temperature [°C] 80

References

SCANIA 1 745 449



Application info

 SCANIA 2 - series (05/80-12/88)
 SCANIA 3 - series (01/88-12/96)
 SCANIA 3 - series bus (01/90-12/97)

 SCANIA 4 - series (05/95--)
 SCANIA P,G,R,T - series (03/04-10/05)

Thermostat

828 286 0001
 MTH0115

Notes

 Opening Temperature [°C] 86
 1-part housing
 with seal

References

 IVECO 9943 1512
 SCANIA 1 665 694
 VOLVO 1665694


Application info

 IVECO EuroTech MH (09/98--)
 IVECO EuroTrakker (01/93-11/04)
 IVECO Stralis (02/02--)
 IVECO Trakker (10/04--)
 SCANIA 4 - series (05/95--)

 VOLVO FH 16 (08/93-12/02)
 VOLVO FL 10 (09/85-09/98)
 VOLVO FL 12 (09/95-09/98)
 VOLVO FM 12 (08/98-09/05)
 VOLVO NH 12 (05/99--)

Thermostat

828 288 0001
 MTH0116

Notes

 Opening Temperature [°C] 88
 1-part housing
 with seal

References

SCANIA 1 423 450



Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)

Thermostat housing

714 228 0000
 MMX1458

Notes

References

 FORD 1 707 050
 2S6G-9K478-BD


Application info

 FORD Fiesta V / Fusion (11/01-06/08)
 FORD Focus II (10/03-09/08)

FORD Mondeo IV (03/07--)


V-belt

052 010 1310
 MVB0103

Notes

 Length [mm] 1310
 Width [mm] 10

References



Application info

V-belt

052 017 1070
 MVB0261

Notes

 Length [mm] 1070
 Width [mm] 17

References

Application info

V-ribbed belt

050 005 1285

MRB0258

Notes

 Length [mm] 1285
 Number of Ribs 5

References



Application info

 ALFA ROMEO 155 (01/92-12/97)
 ALFA ROMEO 164 (06/87-09/98)

 INFINITI QX4 (01/97--)
 NISSAN Pathfinder (R50) (09/97-12/04)

V-ribbed belt

050 005 1697

MRB0285

Notes

References



Application info

HYUNDAI Teracan (06/01-12/06)

V-ribbed belt


050 007 2630

MRB0637

Notes

 Length [mm] 2630
 Number of Ribs 7

References



Application info

VW Touareg (7LA, 7L6, 7L7) (10/02-05/10)



V-ribbed belt

050 008 1670

MRB0779

Notes

Length [mm]	1670
Number of Ribs	8
Width [mm]	28
	EPDM (ethylene propylene diene Monomer)
	One-sided



References

MERCEDES-BENZ	936 993 10 96
	904 997 02 92

Application info

Water pump

713 220 0018

MWP0555

Notes

with seal

References

FORD	1 766 164
	CM5G-8591-AA

Application info

FORD B-MAX (10/12--)	FORD Focus III (04/11--)
FORD C-Max II (12/10--)	FORD Tourneo (12/12--)
FORD Ecosport (10/13--)	FORD Transit 13 (09/13--)
FORD Fiesta VI (06/08--)	FORD Transit Courier (02/14--)

Axial rod

016 031 0016
MAR0471

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	293
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16X1,5



References

MERCEDES-BENZ	222 330 71 00
---------------	---------------

Application info

MERCEDES-BENZ BM 217 (S-Class) (12/15--)

MERCEDES-BENZ BM 222 (S-Class) (05/13--)

Axial rod

16-16 031 0032
MAR0472

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	197
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5



References

RENAULT	485218799R
---------	------------

Application info

RENAULT Latitude (07/10--)

Axial rod


35-16 031 0014/HD
MAR0473HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	304
Thread Measurement 1	M14X1,5
Thread Measurement 2	M14x1,5



References

MAZDA	KD31-32-240A
-------	--------------

Application info

MAZDA CX-5 (KE) (11/11--)

Axial rod

816 031 0001
MAR0474

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	286
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5



References

SAAB	93194335
------	----------

Application info

SAAB 9-5 (YS3E) (09/97-08/05)

SAAB 9-5 (YS3G) (05/10--)



Bushing, leaf spring

64-34 032 0001
MCX0516

Notes

Height [mm]	Left and right
Inner diameter [mm]	58
Outer diameter [mm]	32
	55,5

References

MERITOR	21202104
---------	----------



Application info

Control arm

116 050 0109/S
MCA1011

Notes

Paired article numbers	Front Axle Left Upper 116 050 0110/S Control Arm Sheet Steel with accessories with ball joint with rubber mounting
------------------------	---

References

VW	2H0 407 021 B
----	---------------



Application info

VW Amarok (09/10--)

Control arm

116 050 0110/S
MCA1012

Notes

Paired article numbers	Front Axle Right Upper 116 050 0109/S Control Arm Sheet Steel with accessories with ball joint with rubber mounting
------------------------	--

References

VW	2H0 407 022 B
----	---------------



Application info

VW Amarok (09/10--)



Control arm

116 050 0123/S
MCA1013

Notes

Paired article numbers

Front Axle Left
116 050 0124/S
Control Arm
Sheet Steel
with add-on material
with rubber mounting

References

AUDI	5Q0 407 151 J
AUDI (FAW)	5Q0 407 151 J
SKODA (SVW)	5Q0 407 151 L
VW	5Q0 407 151 L
	5Q0 407 151 J
	5Q0 407 151 M

Application info

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
AUDI (FAW) A3 (8VS,8VA) (09/14--)

SKODA (SVW) Octavia (5E3) (05/14--)
VW Golf VII (08/12--)

Control arm

116 050 0124/S
MCA1014

Notes

Paired article numbers

Front Axle Right
116 050 0123/S
Control Arm
Sheet Steel
with add-on material
with rubber mounting

References

AUDI	5Q0 407 152 J
AUDI (FAW)	5Q0 407 152 J
SKODA (SVW)	5Q0 407 152 L
VW	5Q0 407 152 J
	5Q0 407 152 M

Application info

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
AUDI (FAW) A3 (8VS,8VA) (09/14--)

SKODA (SVW) Octavia (5E3) (05/14--)
VW Golf VII (08/12--)



Control arm



116 050 0145/HD
MCA1007HD

Notes

Paired article numbers

Reinforced Version
Front
Front Axle Left
Upper
116 050 0146/HD
Aluminium
Control Arm
with ball joint
with rubber mounting

References

AUDI

4H0 407 505 E
4H0 407 505 F

Application info

AUDI A8 (4H_) (11/09--)

Control arm



116 050 0146/HD
MCA1008HD

Notes

Paired article numbers

Reinforced Version
Front
Front Axle Right
Upper
116 050 0145/HD
Aluminium
Control Arm
with ball joint
with rubber mounting

References

AUDI

4H0 407 506 E
4H0 407 506 F

Application info

AUDI A8 (4H_) (11/09--)



Control arm



116 050 0147/HD
MCA1009HD

Notes

Reinforced Version
 Front Axle Left
 Rear
 Upper

Paired article numbers
 116 050 0148/HD
 Aluminium
 Control Arm
 with ball joint
 with rubber mounting

References

AUDI
 4H0 407 509 E
 4H0 407 509 F

Application info

AUDI A8 (4H_) (11/09--)

Control arm



116 050 0148/HD
MCA1010HD

Notes

Reinforced Version
 Front Axle Right
 Rear
 Upper

Paired article numbers
 116 050 0147/HD
 Aluminium
 Control Arm
 with ball joint
 with rubber mounting

References

AUDI
 4H0 407 510 E
 4H0 407 510 F

Application info

AUDI A8 (4H_) (11/09--)

Dust cover/boot, strut

014 640 0009
MCX0524

Notes

Front Axle
 Height [mm]
 210

References

MERCEDES-BENZ
 906 323 0292
 VW
 2E0 413 175 B

Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)



Mount, axle rod



15-14 710 0002/HD
MAM0036HD

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	64
Inner diameter [mm]	14
Outer diameter [mm]	46

References

ALFA ROMEO	51799865
	51799866
	51799867
	51799868



Application info

ALFA ROMEO 159 (09/05-11/11)

Mount, control arm

514 710 0016
MCM0153

Notes

	Rear Axle Left
Outer diameter [mm]	90
Paired article numbers	514 710 0015

References

VOLVO	31406349
-------	----------



Application info

VOLVO S80 II (03/06--)
VOLVO V70 III (08/07--)

VOLVO XC60 (05/08-12/10)
VOLVO XC70 II (08/07--)

Mount, leaf spring

12-34 742 0009
MCX0520

Notes

	Left and right
Height [mm]	18

References

MAN	81.43407.0110
-----	---------------



Application info

MAN E 2000 (05/00--)
MAN F 2000 (01/94-12/95)
MAN TGA (04/00--)
MAN TGL (04/05--)

MAN TGM (10/05--)
MAN TGS (09/07--)
MAN TGX (09/07--)



Repair kit, control arm

036 035 0052
MCX0519

Notes

Bore Ø [mm]	15
Hole Pitch 1/ Hole Pitch 2	80
Outer diameter [mm]	67
Width 1 [mm]	35
Width 2 [mm]	115
	Trailing Arm

References

MAN	81.43220.6177
-----	---------------

Application info

MAN LION'S COACH (09/95--)
 MAN LION'S STAR (01/93-09/96)
 MAN ÜL (09/89-09/96)

NEOPLAN Starliner (09/96--)
 NEOPLAN Tourliner (01/03--)
 NEOPLAN Trendliner (09/04--)

Rubber stop, suspension

034 162 0001
MRS0197

Notes

	Left and right
Height [mm]	70
Outer diameter [mm]	110
	Steel Elastomer

References

MERCEDES-BENZ	000 998 30 41
---------------	---------------



Application info

Shock absorber

226 623 0012
MSA0693

Notes

Front Axle
 Gas Pressure
 Suspension Strut
 Twin-Tube

References

FIAT	51708824
------	----------

Application info

FIAT Palio / Albea / Siena / Strada (04/96-10/07)

Stabilizer link

016 060 0060
MSL0705

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	239,5
Thread Size	M10x1,5
	Coupling Rod



References

MERCEDES-BENZ	172 320 00 89
---------------	---------------

Application info

MERCEDES-BENZ BM 172 (SLK) (02/11--)

Stabilizer link


56-16 060 0000/HD
MSL0707HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	295
Thread Measurement 1	M12X1,5
Thread Measurement 2	M12X1,5
	Coupling Rod

References

CHEVROLET	95299172
-----------	----------

Application info

CHEVROLET Aveo II (03/11--)



Wheel bearing kit

014 750 0007

MWK0229

Notes

	Rear Axle left and right
Bolt Hole Circle Ø [mm]	130
Number of Holes	4
Outer diameter [mm]	175
Rim Hole Number	6
	Four-point mounting with ABS sensor ring with add-on material without cap

References

MERCEDES-BENZ	906 350 37 10
	906 350 38 10
	906 350 39 10

Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

Wheel bearing kit

16-14 650 0014

MWK0227

Notes

	Front Axle left and right
Height [mm]	39
Inner diameter [mm]	45
Outer diameter [mm]	86
	for vehicles with ABS with add-on material

References

GENERAL MOTORS	91160086
	91160087
OPEL	44 08 668
	44 08 669
RENAULT	7701206847
VAUXHALL	44 08 668
	44 08 669

Application info

NISSAN Primastar (03/01--)
OPEL Vivaro (08/01--)

RENAULT Trafic II (03/01-07/03)
VAUXHALL Vivaro (08/01-12/06)



Wheel hub

37-14 752 0011
MWH0254

Notes

Number of Holes

Rear Axle left and right
5
for vehicles with ABS
Four-point mounting
with ABS sensor ring
with accessories
with integrated wheel bearing
with wheel studs

References

HYUNDAI

52730-2G200

KIA

52730-3K000

52730-2G200

Application info

HYUNDAI Sonata V (01/05--)

KIA Magentis II (11/05-12/08)