

Filter set

034 300 0003
MAX0132

Notes

References

Mercedes-Benz	000 180 62 09
	004 094 11 04
	541 092 09 05
	541 180 00 09

Application info

Mercedes-Benz ACTROS MP2 / MP3 (10/02--)

Door handle

234 910 0001
MIX0315

Notes

Paired article numbers

Right
234 910 0002
Black
with key
with lock

References

Iveco

98404709



Application info

Iveco EuroCargo (01/91-12/00)

Door handle

234 910 0002
MIX0316

Notes

Paired article numbers

Left
234 910 0001
Black
with key
with lock

References

Iveco

98404710



Application info

Iveco EuroCargo (01/91-12/00)

Door handle

534 910 0101
MIX0317

Notes

Paired article numbers

Left
534 910 0102
Black
without lock barrel

References

Volvo

20398466

Application info

Volvo FH 12 (08/93--)
Volvo FM (09/05--)

Volvo FM 12 (08/98-09/05)

Door handle

534 910 0102
MIX0318

Notes

Paired article numbers

Right
534 910 0101
Black
without lock barrel

References

Volvo 20398467

Application info

Volvo FH 12 (08/93--)
Volvo FH 16 (08/93-12/02)

Volvo FM (09/05--)
Volvo FM 12 (08/98-09/05)

Hood shock

440 160 3840

Notes

Force output F [N]
Length [mm]

370
320

References



Application info

Porsche 911/912 (01/63-11/90)

Lock cylinder set

534 910 0100
MIX0314

Notes

References

Volvo 3090483



Application info

Volvo FH 12 (08/93--)
Volvo FH 16 (08/93-12/02)

Volvo FM (09/05--)
Volvo FM 12 (08/98-09/05)

Windshield washer pump

034 870 0005

MW10031

Notes

Voltage [V]	24
	Electric
	Mono Pump

References

EVOBUS	000 860 47 26
MAN	81.26485.6029
Mercedes-Benz	000 860 47 26

Application info

MAN F 2000 (01/94-12/95)	MAN TGM (10/05--)
MAN L 2000 (10/93-07/97)	Mercedes-Benz ACTROS (04/96-10/03)
MAN LION'S COACH (09/95--)	Mercedes-Benz ACTROS MP2 / MP3 (10/02--)
MAN LION'S STAR (01/93-09/96)	Mercedes-Benz ACTROS MP4 (07/11--)
MAN M 2000 L (08/95--)	Mercedes-Benz ATEGO (01/98-10/04)
MAN M 2000 M	Mercedes-Benz ATEGO 2 (10/04--)
MAN NÜ (09/96-07/98)	Mercedes-Benz ATEGO 3 (04/13--)
MAN TGA (04/00--)	Mercedes-Benz AXOR (01/02-10/04)
MAN TGL (04/05--)	

Brake disc

115 521 0028

MBD1769

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	112
Brake Disc Thickness [mm]	24
Centering Diameter [mm]	65
Height [mm]	49,8
Minimum thickness [mm]	21
Number of Holes	5
Outer diameter [mm]	276
	Vented

References

Audi	5Q0 615 301 A
Audi (FAW)	5Q0 615 301 A
Seat	5Q0 615 301 A
Skoda	5Q0 615 301 A
Volkswagen	5Q0 615 301 A

Application info

Audi A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
Seat Leon (5F) (09/12--)

Skoda Octavia III (5E3/5E5) (11/12--)
Volkswagen Golf VII (08/12--)

Multi-circuit protection valve

16-34 042 0009

MBX0268

Notes

References

R.V.I.	50 10 422 971
--------	---------------

Application info

Hydraulic filter kit, A/T

100 137 0011
MHK0057

Notes

Manufacturer Restriction	ZF
Number of mounting bores	13
Transmission Type	AL450
Transmission Type	OCM
Transmission Type	8HP45
	Automatic Transmission, 8-speed
	Kit
	with fastening material



References

Volkswagen	OCM 301 519
------------	-------------

Application info

Volkswagen Amarok (09/10--)

Insert shaft, differential

100 498 0249/S
MDS0061

Notes

	Front Axle
Int. teeth, diff.side, conn.to transm.	37
Length [mm]	297

References

Volkswagen	02G 409 356 C
------------	---------------

Application info

Volkswagen Transporter IV (07/90-04/03)

Parts kit, automatic transm. oil change

414 135 0001
MOK0061

Notes

Manufacturer Restriction	MERCEDES-BENZ
Transmission Type	A96.10
Transmission Type	A96.35
Transmission Type	A96.50
Transmission Type	A97.01
Transmission Type	A97.31
Transmission Type	A97.50
	Automatic Transmission, 5-speed
	Kit
	with add-on material

References

Porsche	722.277.009.5
---------	---------------

Application info

Porsche 911 (996) (09/97-08/05)

Porsche 911 (997) (07/04-12/10)

ABS wheel sensor

014 800 0119

MAS0384

Notes

Length [mm]	Rear Axle
Number of Poles	765
Operating voltage [V]	2
Required quantity	12
	2
	Active sensor

References

Mercedes-Benz	221 540 01 17
---------------	---------------



Application info

Mercedes-Benz BM 216 (S-Class) (05/06--)

Mercedes-Benz BM 221 (S-Class) (10/05-06/09)

ABS wheel sensor

234 533 0006

MAS0390

Notes

Number of Poles	Front Axle
Operating voltage [V]	2
Required quantity	24
Resistance [Ohm]	2
	1150
	Inductive Sensor

References

Iveco	4122 1280
-------	-----------



Application info

Iveco Stralis (02/02--)

Iveco Trakker (10/04--)

Sensor, exhaust gas temperature

014 800 0126

MSE0003

Notes

Cable Length [mm]	300
Number of Poles	2

References

Mercedes-Benz	000 905 67 04
	008 153 37 28

Application info

Mercedes-Benz BM 117 (CLA) (01/13--)

Mercedes-Benz BM 166 (GL) (07/12--)

Mercedes-Benz BM 166 (GLS) (11/15--)

Mercedes-Benz BM 166 (M-Class) (06/11--)

Mercedes-Benz BM 176 (A-Class) (06/12--)

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 204 (GLK-Class) (06/08-04/11)

Mercedes-Benz BM 207 (E-Class) (01/09--)

Mercedes-Benz BM 212 (E-Class) (01/09-08/11)

Mercedes-Benz BM 218 (CLS) (01/11--)

Mercedes-Benz BM 218 (CLS) (10/12--)

Mercedes-Benz BM 221 (S-Class) (10/05-06/09)

Mercedes-Benz BM 222 (S-Class) (05/13--)

Mercedes-Benz BM 246 (B-Class) (11/11--)

Mercedes-Benz BM 251 (R-Class) (01/06--)

Mercedes-Benz BM GLA-Class (X156) (12/13--)

Temperature switch, radiator fan

834 810 0001
MEX0589

Notes

Number of Poles	2
Operating voltage [V]	24
Spanner Size	10

References

Scania	1 757 904
	1 871 772

Application info

Scania P,G,R,T - series (03/04-10/05)

Air filter

034 321 0021

MAF0690

Notes

Height [mm]	78
Length [mm]	626
Width [mm]	564
	Filter Insert

References

Mercedes-Benz	004 094 66 04
---------------	---------------



Application info

Mercedes-Benz ACTROS (04/96-10/03)
 Mercedes-Benz ACTROS MP2 / MP3 (10/02--)
 Mercedes-Benz ATEGO (01/98-10/04)

Mercedes-Benz AXOR 2 (10/04-10/05)
 Mercedes-Benz ECONIC (01/98--)

Air filter

534 041 0004

MAF0570

Notes

Height [mm]	411
Inner diameter [mm]	203
Outer diameter [mm]	332
	Filter Insert

References

Volvo	21834210
-------	----------



Application info

Volvo FH (09/05--)
 Volvo FH 12 (08/93--)
 Volvo FH 16 (08/93-12/02)

Volvo FM (09/05--)
 Volvo FM 12 (08/98-09/05)
 Volvo FMX (04/10--)

Crankshaft seal

100 103 1015
MMX1512

Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	132
	Left-hand Twist
	PTFE (polytetrafluoroethylene)
	Synthetic Material Housing
	with mounting sleeve

References

Audi	04E 103 170 A
Volkswagen	04E 103 170 A

Application info

Audi A1 (8X1, 8XA) (05/10--)	Volkswagen Beetle (5C1) (04/11--)
Audi A3 (8V1, 8VS, 8V7, 8PA) (04/12--)	Volkswagen Caddy IV (05/15--)
Audi A4 (8W2,8W5 B9) (05/15--)	Volkswagen CC (11/11--)
Audi Q3 (8U) (06/11--)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-11/13)
Seat Alhambra II (710) (06/10-05/11)	Volkswagen Golf VII (08/12--)
Seat Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	Volkswagen Jetta IV (162) (04/10--)
Seat Leon (5F) (09/12--)	Volkswagen Passat (B8) (08/14--)
Seat TOLEDO IV (KG3) (07/12--)	Volkswagen Polo (6R_) (06/09-05/14)
Skoda Octavia III (5E3/5E5) (11/12--)	Volkswagen Scirocco (137) (05/08-05/11)
Skoda Rapid II (NH) (07/12--)	Volkswagen Sharan (7N) (05/10-05/12)
Skoda Superb III (03/15--)	Volkswagen Tiguan (09/07-08/09)
Skoda Yeti (5L) (05/09--)	Volkswagen Touran II (09/15--)

Engine mount

300 221 2133
MEM0768

Notes

Right Front
Hydro Bearing

References

BMW	22 11 3 421 296
-----	-----------------



Application info

BMW X3 (E83) (01/04-12/08)

Expansion tank cap

314 238 0005
MMX1516

Notes

Pressure [bar] 1,4
with seal

References

BMW 17 11 7 639 024
Mini 17 11 7 639 024

Application info

BMW 1 (F20, F21) (11/10--)	BMW i3 (08/13--)
BMW 2 (F45, F46) (09/14--)	BMW i8 (03/14--)
BMW 3 (F30, F31) (10/11--)	BMW X1 (F48) (09/15--)
BMW 3 (F34) (03/13--)	BMW X5 (E70) (02/07-03/10)
BMW 4 (F32, F33, F36) (07/13--)	BMW X6 (E71) (05/08--)
BMW 5 (F07) (10/09-12/10)	Mini Countryman (06/10--)
BMW 5 (F10, F11) (03/10-12/11)	Mini Mini II (10/06-07/10)
BMW 6 (F12, F13) (11/10-12/12)	Mini Mini III (12/13--)
BMW 7 (F01, F02, F03, F04) (06/08--)	Mini Paceman (04/12--)

Fan blade


16-34 232 0011
MMX1413

Notes

Number of Wings 9
Outer diameter [mm] 680
Plastic

References

R.V.I. 50 10 514 839



Application info

R.V.I. Kerax (06/97-01/01)

Fan blade


16-34 232 0012
MMX1414

Notes

Number of Wings 9
Outer diameter [mm] 720
Plastic

References

R.V.I. 50 10 269 870



Application info

R.V.I. Kerax (06/97-01/01) R.V.I. Premium (04/96--)

Fuel filter

534 323 0003
MFF0267

Notes

Connecting thread 1-14 UNS
Height [mm] 191
Screw-on Filter

References

Volvo 20782330

Application info

Volvo FH 16 (08/93-12/02)

Gasket set, crankcase

16-34 001 0007
MMX1550

Notes

References

R.V.I. 50 01 834 579

Application info

R.V.I. Kerax (06/97-01/01)

R.V.I. Premium (04/96--)


Gasket, intake manifold

12-34 001 0007
MMX1564

Notes

References

MAN 51.08902.0161
Mercedes-Benz 442 141 04 80
Neoplan 51.08902.0161



Application info

MAN F 2000 (01/94-12/95)
MAN F 90 (07/86-12/97)
MAN NG
MAN NL
MAN SD (04/74-04/94)
MAN SG (07/76-06/97)
MAN ÜL (09/89-09/96)
Mercedes-Benz MK (12/87-09/96)
Mercedes-Benz NG (08/73-09/96)
Mercedes-Benz O 303 (10/74-09/92)
Mercedes-Benz O 305 (01/69-05/87)
Mercedes-Benz O 307 (04/73-08/87)
Mercedes-Benz O 340 (01/91-08/95)

Mercedes-Benz O 404
Mercedes-Benz O 405
Mercedes-Benz O 407 (03/87-11/01)
Mercedes-Benz O 408 (01/91-12/98)
Mercedes-Benz SK (07/87-09/96)
Neoplan Centroliner
Neoplan Cityliner (04/73-09/93)
Neoplan Jetliner (09/90-09/93)
Neoplan Skyliner (01/79-09/93)
Neoplan Spaceliner (09/90-09/93)
Neoplan Starliner (09/96--)
Neoplan Transliner (12/88-09/93)

Intake hose, turbo charger

100 036 0043
MMX1562

Notes

Lower Left
Rear

References

Audi	3C0 145 828 K
Seat	3C0 145 828 K
Skoda	3C0 145 828 K
Volkswagen	3C0 145 828 K

Application info

Audi A3 (8P1, 8PA) (05/03-08/12)
Seat Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)
Skoda Octavia II (1Z_) (02/04-12/10)
Skoda Superb II (3T) (03/08-11/10)
Volkswagen Caddy III (2KA, 2KB) (03/04-08/10)

Volkswagen Eos (03/06-11/10)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-05/09)
Volkswagen Jetta III (1K2) (08/05-10/10)
Volkswagen Passat (3C_) (03/05-10/11)
Volkswagen Touran (1T1, 1T2) (02/03-05/10)

Intake hose, turbo charger

16-14 036 0002
MMX1567

Notes

Intercooler
Upper Left

References

Nissan	14463-JD50D
--------	-------------

Application info

Nissan Qashqai I (02/07--)

Radiator fan motor


16-34 234 0003
MRM0073

Notes

Number of Wings	9
Outer diameter [mm]	680
	Thermic

References

R.V.I.	50 10 315 427
--------	---------------



Application info

R.V.I. Premium (04/96--)

Radiator hose

019 222 0029
MRH0334

Notes

Right

References

Mercedes-Benz 204 501 16 82

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
Mercedes-Benz BM 207 (E-Class) (01/09--)
Mercedes-Benz BM 212 (E-Class) (01/09-08/11)

Mercedes-Benz BM 218 (CLS) (01/11--)
Mercedes-Benz BM 218 (CLS) (10/12--)

Radiator hose

119 121 0146
MRH0184

Notes

References



Application info

Volkswagen Transporter III (05/79-07/92)

Thermostat

328 228 0005
MTH0118

Notes

Opening Temperature [°C] 97

References

BMW 11 53 7 549 476



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)
BMW 3 (E90, E91, E92, E93) (01/05-05/12)

BMW 5 (E60, E61) (07/03-08/10)

V-belt

052 017 1030

MVB0256

Notes

Length [mm] 1030
Width [mm] 17

References

Application info

V-ribbed belt


050 005 0915

MRB0202

Notes

Length [mm] 915
Number of Ribs 5

References



Application info

Water pump



11-13 220 0004/HD
MWP0082HD

Notes

Number of Teeth 19
Quality Sealed with SiC/SiC for toothed belt drive with seal

References

Citroën	1201.G9
Fiat	1609417680
Ford	1 364 681
Mazda	Y601-15-010A
Mini	11 51 7 805 992
Peugeot	1201.G9
Suzuki	17400-69K00
Volvo	30751971

Application info

Citroën Berlingo I (07/96-12/07)	Mazda 2 (DE) (10/07--)
Citroën Berlingo II (04/08--)	Mazda 3 (BK) (06/00-06/09)
Citroën C2 / C3 I / Pluriel (02/02-09/05)	Mazda 3 (BL) (06/09--)
Citroën C3 II (11/09--)	Mini Mini II (10/06-07/10)
Citroën C3 Picasso (02/09--)	Peugeot 1007 (04/05--)
Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)	Peugeot 206 (08/98-03/09)
Citroën C4 II / DS4 (11/09--)	Peugeot 207 (02/06-10/08)
Citroën C5 I / C5 II (03/01-04/07)	Peugeot 3008 (06/09--)
Citroën C5 III (RD_, TD_) (02/08--)	Peugeot 307 (08/00-01/05)
Citroën Jumpy II (01/07--)	Peugeot 308 (09/07--)
Citroën Xsara Picasso (12/99-09/06)	Peugeot 407 (05/04-12/09)
Fiat Scudo II (270) (01/07--)	Peugeot 5008 (06/09--)
Ford C-Max I (02/07--)	Peugeot Expert II (01/07--)
Ford C-Max II (12/10--)	Peugeot Partner I (04/96-07/08)
Ford Fiesta V / Fusion (11/01-06/08)	Peugeot Partner II (04/08--)
Ford Fiesta VI (06/08--)	Suzuki SX4 (06/06--)
Ford Focus II (10/03-09/08)	Volvo C30 (10/06-12/12)
Ford Focus III (07/10--)	Volvo S40 II / V50 (01/04--)
Ford Galaxy II (05/06--)	Volvo S80 II (03/06--)
Ford Mondeo IV (03/07--)	Volvo V70 III (08/07--)
Ford S-Max (05/06--)	

Water pump

16-13 220 0029
MWP0563

Notes

for toothed belt drive with seal

References

Renault	210103314R
---------	------------



Application info

Renault Clio II / Thalia (02/98-02/10)	Renault Twingo I (03/93-08/00)
Renault Kangoo I (08/97-06/10)	

Water pump



713 220 0008/HD
MWP0498HD

Notes

Number of Teeth 21
Quality Sealed with SiC/SiC for toothed belt drive
Metal Housing with seal

References

Citroën	1201.G8
Ford	1 366 614
	256Q-8591-BA
Mazda	Y4011-50-10
Peugeot	1201.G8
Toyota	SU001-00919

Application info

Citroën C1 (06/05--)	Peugeot 1007 (04/05--)
Citroën C2 / C3 I / Pluriel (02/02-09/05)	Peugeot 107 (06/05--)
Citroën C3 II (11/09--)	Peugeot 206 (08/98-03/09)
Citroën Nemo (02/08--)	Peugeot 207 (02/06-10/08)
Citroën Xsara (04/97-08/05)	Peugeot 208 (03/12--)
Ford Fiesta V / Fusion (11/01-06/08)	Peugeot 307 (08/00-01/05)
Ford Fiesta VI (06/08--)	Peugeot Bipper (02/08--)
Mazda 2 (DE) (10/07--)	Toyota Aygo (07/05-08/10)
Mazda 2 (DY) (02/03--)	

P/S hose

059 203 0001
MHH0076

Notes

for backflow

References

Mercedes-Benz 203 466 73 81

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

P/S hose

159 202 0004
MHH0080

Notes

for foreflow

References

Audi 3B0 422 887
Skoda 3B0 422 887
Volkswagen 3B0 422 887



Application info

Audi A4 (8D2, 8D5, B5) (11/94-09/01)
Audi A6 (4B, C5) (01/97-01/05)

Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-08/05)

P/S hose

359 202 0031
MHH0084

Notes

for foreflow

References

BMW 32 41 6 761 486

Application info

BMW 5 (E60, E61) (07/03-08/10)

P/S hose

359 202 0037
MHH0074

Notes

for foreflow
for vehicles with active steering

References

BMW 32 41 6 850 101

Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

P/S hose

359 202 0039
MHH0075

Notes

for foreflow

References

Mini 32 41 6 754 498

Application info

Mini Mini I (06/01-11/07)

P/S hose

359 202 0040
MHH0091

Notes

for foreflow

References

BMW 32 41 6 850 098

Application info

BMW 5 (E60, E61) (07/03-08/10)

BMW 6 (E63, E64) (01/04--)

P/S hose

359 202 0041
MHH0092

Notes

for foreflow
for vehicles without active steering

References

BMW 32 41 6 850 587

Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

P/S hose

359 202 0043
MHH0094

Notes

for foreflow

References

BMW 32 41 6 850 311

Application info

BMW 5 (F07) (10/09-12/10)

BMW 5 (F10, F11) (03/10-12/11)

BMW 7 (F01, F02, F03, F04) (06/08--)

P/S hose

359 202 0044
MHH0095

Notes

for foreflow

References

BMW 32 41 6 799 933

Application info

BMW 5 (F07) (10/09-12/10)

BMW 5 (F10, F11) (03/10-12/11)

BMW 6 (F12, F13) (11/10-12/12)

BMW 7 (F01, F02, F03, F04) (06/08--)

P/S hose

359 202 0045
MHH0096

Notes

for foreflow

References

BMW 32 41 6 850 748

Application info

BMW 5 (E60, E61) (07/03-08/10)

BMW 6 (E63, E64) (01/04--)

P/S hose

359 202 0046
MHH0097

Notes

for foreflow
for vehicles with active steering

References

BMW 32 41 6 850 100

Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

P/S hose

359 202 0047
MHH0098

Notes

for foreflow

References

BMW 32 41 1 092 982

Application info

BMW 3 (E36) (09/90-08/00)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose

53-59 202 0005
MHH0107

Notes

for foreflow

References

Land Rover

QEH000294



Application info

Land Rover Discovery III (07/04-09/09)

P/S hose

53-59 202 0006
MHH0108

Notes

for foreflow

References

Land Rover

NTC9989



Application info

Land Rover Range Rover I (07/70-07/94)

P/S hose

559 202 0000
MHH0111

Notes

for foreflow

References

Volvo

30645081

Application info

Volvo C/S/V 70 (11/96-10/05)
Volvo S60 I / V70 II (03/00-04/10)

Volvo S80 I (05/98-07/06)
Volvo XC70 I (11/97-08/07)

Tie rod assembly

14-36 020 0019
MTA0222

Notes

	Front Axle
Cone Size [mm]	26
Length [mm]	1522
Pipe Ø [mm]	52
Thread Measurement 1	M30x1,5
Thread Measurement 2	M30x1,5
	Guide Rod
	Nut with lateral notches with metric thread

References

DAF	1361 155
-----	----------

Application info

DAF 95 XF (01/97-09/02)	DAF XF 105 (10/05--)
DAF CF 75 (01/01--)	DAF XF 95 (09/02-12/06)
DAF CF 85 (01/01--)	

Tie rod end

14-36 020 0027
MTE0739

Notes

	Front Axle
Cone Size [mm]	22
Length [mm]	120
Thread Measurement 1	M18x1,5
Thread Measurement 2	M30x1,5
	Self-locking with left-hand thread

References

DAF	1401 942
-----	----------

Application info

DAF LF 45 (01/01--)

Tie rod end

16-16 020 0001
MTE0746

Notes

Length [mm]	Front Axle Left
Paired article numbers	240
Thread Measurement 1	16-16 020 0002
Thread Measurement 2	12x1,25
	14x1,5

References

Renault	485201502R
---------	------------



Application info

Renault Latitude (07/10--)

Tie rod end

16-16 020 0002
MTE0747

Notes

Length [mm]	Front Axle Right
Paired article numbers	240
Thread Measurement 1	16-16 020 0001
Thread Measurement 2	12x1,25
	14x1,5

References

Renault	485202733R
---------	------------



Application info

Renault Latitude (07/10--)

Tie rod end

16-36 020 0012
MTE0740

Notes

Cone Size [mm]	Front Axle
Length [mm]	30
Thread Measurement 1	120
Thread Measurement 2	M24x1,5
	M32x1,5
	for left-/right-hand traffic
	Nut with lateral notches
	with right-hand thread

References

Mercedes-Benz	001 460 72 48
R.V.I.	50 01 867 774

Application info

R.V.I. Kerax (06/97-01/01)

R.V.I. Magnum (09/90-04/06)

Tie rod end



216 020 0013/HD
MTE0748HD

Notes

	Reinforced Version
	Front Axle Left
Length [mm]	135
Paired article numbers	216 020 0014/HD
Thread Measurement 1	10x1.5
Thread Measurement 2	14x1.5

References

Fiat	77366165
------	----------

Application info

Fiat 500L (09/12--)

Tie rod end



216 020 0014/HD
MTE0749HD

Notes

	Reinforced Version
	Front Axle Right
Length [mm]	135
Paired article numbers	216 020 0013/HD
Thread Measurement 1	10x1.5
Thread Measurement 2	14x1.5

References

Fiat	77366166
------	----------

Application info

Fiat 500L (09/12--)

Tie rod end



316 020 0034/HD
MTE0744HD

Notes

	Front Axle Right
Length [mm]	195
Paired article numbers	316 020 0035/HD
Thread Measurement 1	14X1.5
Thread Measurement 2	14X1.5

References

BMW	32 10 6 858 738
	32 10 6 863 860

Application info

BMW X5 (F15) (11/12--)

BMW X6 (F16) (08/14--)

Tie rod end



316 020 0035/HD
MTE0745HD

Notes

	Front Axle Left
Length [mm]	195
Paired article numbers	316 020 0034/HD
Thread Measurement 1	14X1.5
Thread Measurement 2	14x1.5

References

BMW	32 10 6 858 736
	32 10 6 863 858

Application info

BMW X5 (F15) (11/12--)	BMW X6 (F16) (08/14--)
------------------------	------------------------

Tie rod end

616 020 0023
MTE0736

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	136
Thread Measurement 1	M12x1,5
Thread Measurement 2	M14x1,5

References

Chevrolet	93186537
GENERAL MOTORS	93186537
Opel	16 03 542
Vauxhall	16 03 542

Application info

Chevrolet Zafira (F75) (07/00-06/05)	Vauxhall Astra Mk IV (02/98-08/06)
Opel Astra G / Zafira A (02/98-12/09)	Vauxhall Zafira Mk I (11/98-08/05)
Vauxhall Astra Mk II (09/84-08/93)	

Axle support bushing

014 710 0007

MAB0169

Notes

	Front
	Rear Axle Left
	Rear Axle Right
Height [mm]	77
Inner diameter [mm]	18
Outer diameter [mm]	77
	Hydro Bearing



References

Mercedes-Benz	204 351 08 42
Mercedes-Benz (BBDC)	204 351 08 42

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 204 (GLK-Class) (06/08-04/11)
 Mercedes-Benz BM 207 (E-Class) (01/09--)
 Mercedes-Benz BM 212 (E-Class) (01/09-08/11)
 Mercedes-Benz BM 218 (CLS) (01/11--)

Mercedes-Benz BM 231 (SL) (01/12--)
 Mercedes-Benz (BBDC) C-CLASS (W204) (03/08-10/09)
 Mercedes-Benz (BBDC) E-CLASS (W212) (06/10--)
 Mercedes-Benz (BBDC) GLK (X204) (04/12--)

Axle support bushing

014 710 0024

MAB0172

Notes

	Rear
	Rear Axle Left
	Rear Axle Right
Height [mm]	107
Inner diameter [mm]	13
Outer diameter [mm]	90

References

Mercedes-Benz	204 350 02 75
---------------	---------------

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 207 (E-Class) (01/09--)
 Mercedes-Benz BM 212 (E-Class) (01/09-08/11)

Mercedes-Benz BM 218 (CLS) (01/11--)
 Mercedes-Benz BM 218 (CLS) (10/12--)

Axle support bushing

014 710 0027

MAB0175

Notes

	Front
	Rear Axle Left
	Rear Axle Right
Height [mm]	78
Inner diameter [mm]	19
Outer diameter [mm]	86
	Hydro Bearing

References

Mercedes-Benz	205 351 00 42
---------------	---------------

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)	Mercedes-Benz BM 207 (E-Class) (01/09--)
Mercedes-Benz BM 204 (GLK-Class) (06/08-04/11)	Mercedes-Benz BM 212 (E-Class) (01/09-08/11)
Mercedes-Benz BM 205 (C-Class) (12/13--)	Mercedes-Benz BM 218 (CLS) (01/11--)
Mercedes-Benz BM 205 (C-Class) (10/15--)	Mercedes-Benz BM 253 (GLC) (06/15--)

Ball joint

016 010 0021

MBJ0427

Notes

	Front Axle Left
	Front Axle Right
	Lower
	Outer
Cone Size [mm]	17,3
Height [mm]	91,8
Outer diameter [mm]	41
Thread Size	M14x1,5 with accessories

References

Mercedes-Benz	211 330 04 35
Mercedes-Benz (BBDC)	211 330 04 35

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)	Mercedes-Benz BM 220 (S-Class) (10/98-08/05)
Mercedes-Benz BM 215 (S-Class) (03/99-03/06)	Mercedes-Benz BM 230 (SL) (10/01-01/12)
Mercedes-Benz BM 219 (CLS) (10/04-12/10)	Mercedes-Benz (BBDC) E-CLASS (W211) (11/05--)

Ball joint

016 010 0022
MBJ0428

Notes

Thread Size
Front Axle Left
Front Axle Right
Lower
M14x1,5
with accessories

References

Mercedes-Benz 163 330 01 35

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-06/05)

Ball joint

016 010 0023
MBJ0429

Notes

Thread Measurement 1
Thread Measurement 2
Front Axle Left
Front Axle Right
Lower
M14x1,5
M14x1,5

References

Chrysler 5099237AA
5099237AB
Mercedes-Benz 211 330 03 35

Application info

Chrysler Crossfire (07/03-12/07)
Mercedes-Benz BM 170 (SLK) (09/96-04/04)
Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 208 (CLK) (06/97-07/02)

Mercedes-Benz BM 210 (E-Class) (06/95-03/03)
Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
Mercedes-Benz BM 220 (S-Class) (10/98-08/05)

Ball joint

716 010 0025
MBJ0436

Notes

References
Ford 1417351
Front Axle Left
Front Axle Right
Lower
Outer

References

Ford 1417351



Application info

Ford Transit '06 (04/06--)

Bushing, leaf spring

034 032 0147

MCX0547

Notes

Height [mm] Front Axle 104
 Inner diameter [mm] 24
 Outer diameter [mm] 62

References

Mercedes-Benz 000 998 01 42
 960 323 16 85



Application info

Mercedes-Benz * (08/77-04/12)

Mercedes-Benz ACTROS MP4 (07/11--)

Control arm

11-16 050 0100

MCA1061

Notes

Paired article numbers Front Axle Right Lower
 11-16 050 0101
 Control Arm
 Steel
 with ball joint
 with rubber mounting

References

Peugeot 3521 S1
 3521.C8
 3521.R7
 3521.R9



Application info

Peugeot 206 (08/98-03/09)

Control arm

11-16 050 0101

MCA1062

Notes

Paired article numbers Front Axle Left Lower
 11-16 050 0100
 Control Arm
 Steel
 with ball joint
 with rubber mounting

References

Peugeot 3520.G8
 3520.V6
 3520.V7
 3520.W0



Application info

Peugeot 206 (08/98-03/09)

Control arm

16-16 050 0011
MCA1105

Notes

Paired article numbers

Rear Axle Left
16-16 050 0012
Steel
Trailing Arm
with rubber mounting

References

Dacia 551119305R
Renault 551119305R

Application info

Dacia Duster (04/10--)

Renault Duster (06/09--)

Control arm

16-16 050 0012
MCA1106

Notes

Paired article numbers

Rear Axle Right
16-16 050 0011
Steel
Trailing Arm
with rubber mounting

References

Dacia 551107894R
Renault 551107894R

Application info

Dacia Duster (04/10--)

Renault Duster (06/09--)

Control arm

36-16 050 0095
MCA1057

Notes

Paired article numbers

Outer
Rear Axle Left
Upper
36-16 050 0096
Aluminium
Semi-trailing Arm

References

Nissan 55121-JD00B



Application info

Nissan Qashqai I (02/07--)
Nissan Qashqai II (02/14--)

Nissan X-Trail (T31) (03/07--)
Nissan X-Trail (T32) (12/13--)

Control arm

36-16 050 0096
MCA1058

Notes

Outer
Rear Axle Right
Upper
Paired article numbers
36-16 050 0095
Aluminium
Semi-trailing Arm



References

Nissan 55120JD00B

Application info

Nissan Qashqai I (02/07--)
Nissan Qashqai II (02/14--)

Nissan X-Trail (T31) (03/07--)
Nissan X-Trail (T32) (12/13--)

Control arm

416 050 0000/S
MCA1097

Notes

Front Axle Left
Front Axle Right
Aluminium
Control Arm
not adjustable
with add-on material
with ball joint
with rubber mounting



References

Porsche 996 341 053 16

Application info

Porsche 911 (996) (09/97-08/05)

Porsche Boxster (986) (09/96-12/04)

Control arm set



116 050 0223/HD
MCK0051HD

Notes

Full Set
Reinforced Version
Front Axle Left
Front Axle Right
with add-on material

References

Audi	8K0 407 151 C
	8K0 407 152 C
	8K0 407 505 A
	8K0 407 506 A
	8K0 407 509 A
	8K0 407 510 A
	8K0 407 693 S
	8K0 407 694 S

Application info

Audi A4 (8K2, 8K5, 8KH) (11/07--)
Audi A5 (8F, 8T) (06/07--)

Audi Q5 (8R) (11/08--)

Mount, axle rod

014 710 0029
MAM0037

Notes

	inner
	Outer
	Rear Axle Left
	Rear Axle Right
Height [mm]	38
Inner diameter [mm]	12
Outer diameter [mm]	40

References

Mercedes-Benz	169 351 00 25
---------------	---------------

Application info

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Mount, leaf spring

014 710 0030
MCX0545

Notes

Rear Axle Left
Rear Axle Right
Rubber-metal Bearing

References

Mercedes-Benz	906 320 00 63
---------------	---------------



Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)

Mercedes-Benz BM 909 (Sprinter) (09/13--)

Mount, stabilizer

16-14 615 0014
MSB0368

Notes

Inner diameter [mm]

Front Axle Left
Front Axle Right
22

References

Renault

82 00 150 759



Application info

Renault Mégane I / Scénic I (01/96-09/03)

Repair kit, strut mount

100 412 2011/S
MCX0529

Notes

Front Axle left and right
with ball bearing

References

Seat
Volkswagen

7N0 412 331
7N0 412 331



Application info

Seat Alhambra II (710) (06/10-05/11)

Volkswagen Sharan (7N) (05/10-05/12)

Repair kit, strut mount

414 412 1001/S
MCX0543

Notes

Front Axle left and right
Piece
Rubber-metal Bearing
with ball bearing

References

Porsche

997 343 018 01

Application info

Porsche 911 (997) (07/04-12/10)
Porsche Boxster (987) (11/04-12/11)

Porsche Cayman (11/05--)

Rod/strut, suspension

116 035 0017

MSR0134

Notes

Length [mm] Rear Axle Left
 Rear Axle Right
 282
 Guide Rod

References

Audi 8K0 501 529 L
 Porsche 8K0 501 529 L

Application info

Audi A4 (8K2, 8K5, 8KH) (11/07--)
 Audi A5 (8F, 8T) (06/07--)
 Audi A6 (4G2, 4G5, C7) (11/10-05/13)
 Audi A7 Sportback (4GA) (10/10--)

Audi A8 (4H_) (11/09--)
 Audi Q5 (8R) (11/08--)
 Porsche Macan (02/14--)

Rubber stop, suspension

100 412 0033

MRS0204

Notes

Height [mm] Front Axle
 85
 for vehicles without off-road suspension
 for vehicles without sports suspension
 Piece

References

Audi 8D0 412 131 F
 Audi (FAW) 8D0 412 131 F
 Seat 8D0 412 131 F
 Skoda 8D0 412 131 F
 Volkswagen 8D0 412 131 F
 Volkswagen (SVW) 8D0 412 131 F



Application info

Audi A4 (8D2, 8D5, B5) (11/94-09/01)
 Audi A4 (8E2, 8E5, B6) (10/00-12/04)
 Audi A4 (8EC, 8ED) (11/04-06/08)
 Audi A4 (8H7) (04/02-03/09)
 Audi A6 (4B, C5) (01/97-01/05)
 Audi A6 (4F2, 4FH, 4F5) (05/04-08/11)
 Audi A8 (4D2, 4D8) (03/94-09/02)
 Audi A8 (4E) (10/02-07/10)

Audi (FAW) A4 (B6) (02/03-07/05)
 Audi (FAW) A4 (B7) (07/05-09/08)
 Audi (FAW) A6L (C5) (09/99-12/05)
 Audi (FAW) A6L (C6) (03/05-12/11)
 Seat Exeo (3R) (12/08-09/10)
 Skoda Superb I (3U) (12/01-03/08)
 Volkswagen Passat (3B_) (08/96-08/05)
 Volkswagen (SVW) Passat (B5) (04/00-04/09)

Shock absorber

11-26 725 0002
MSA0709

Notes

Rear Axle
Bottom eye
Gas Pressure
Top pin
Twin-Tube

References

Peugeot 5206.FG

Application info

Peugeot 407 (05/04-12/09)

Shock absorber

226 623 0017
MSA0707

Notes

Housing Diameter [mm]

Front Axle
25
Gas Pressure
Suspension Strut
Twin-Tube

References

Citroën 5208.L5
Fiat 50708439
Peugeot 5208.L5

Application info

Citroën Jumper III (04/06--)
Fiat Ducato (250) (07/06--)

Peugeot Boxer III (04/06--)

Stabilizer link

016 060 0067
MSL0710

Notes

Length [mm]

Thread Measurement 1

Thread Measurement 2

Front Axle Left
Front Axle Right
276
M10x1,5
M10x1,5
Coupling Rod
with spanner attachment

References

Mercedes-Benz 203 320 28 89

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (06/02-03/10)

Stabilizer link

016 060 0068
MSL0711

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	220
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	168 320 11 89
---------------	---------------

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/04)

Stabilizer link

016 060 0083
MSL0725

Notes

	Front Axle Left
	307
Length [mm]	307
Paired article numbers	016 060 0084
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	204 320 17 89
---------------	---------------

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 207 (E-Class) (01/09--)

Stabilizer link

016 060 0084
MSL0726

Notes

	Front Axle Right
	307
Length [mm]	307
Paired article numbers	016 060 0083
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	204 320 18 89
---------------	---------------

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 207 (E-Class) (01/09--)

Stabilizer link

016 060 0085

MSL0727

Notes

Length [mm]	Front Axle Left 326
Paired article numbers	016 060 0086
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	212 320 11 89
Mercedes-Benz (BBDC)	212 320 11 89

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-08/11)
Mercedes-Benz BM 218 (CLS) (01/11--)

Mercedes-Benz BM 218 (CLS) (10/12--)
Mercedes-Benz (BBDC) E-CLASS (W212) (06/10--)

Stabilizer link

016 060 0086

MSL0728

Notes

Length [mm]	Front Axle Right 326
Paired article numbers	016 060 0085
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	212 320 12 89
---------------	---------------

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-08/11)
Mercedes-Benz BM 218 (CLS) (01/11--)

Mercedes-Benz BM 218 (CLS) (10/12--)

Stabilizer link

016 060 0089

MSL0731

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	332
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	246 320 06 89
Mercedes-Benz (BBDC)	246 320 06 89

Application info

Mercedes-Benz BM 117 (CLA) (01/13--)	Mercedes-Benz BM GLA-Class (X156) (12/13--)
Mercedes-Benz BM 176 (A-Class) (06/12--)	Mercedes-Benz (BBDC) GLA-CLASS (X156) (04/15--)
Mercedes-Benz BM 246 (B-Class) (11/11--)	

Stabilizer link

036 060 0019

MSL0732

Notes

	Front Axle Left
Length [mm]	230
Paired article numbers	036 060 0020
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	638 323 04 68
---------------	---------------

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)	Mercedes-Benz BM 639 (Vito / Viano) (09/03-07/08)
---	---

Stabilizer link

036 060 0020

MSL0733

Notes

Length [mm]	Front Axle Right 230
Paired article numbers	036 060 0019
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Mercedes-Benz	638 323 05 68
---------------	---------------

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Mercedes-Benz BM 639 (Vito / Viano) (09/03-07/08)

Stabilizer link

11-16 060 0026

MSL0737

Notes

Length [mm]	Front Axle Left Front Axle Right 335
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.59
Peugeot	5087.59

Application info

Citroën C2 / C3 I / Pluriel (02/02-09/05)

Citroën C4 Cactus (09/14--)

Peugeot 1007 (04/05--)

Peugeot 2008 (03/13--)

Peugeot 206 (08/98-03/09)

Stabilizer link

11-16 060 0028
MSL0738

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	335
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.57
Peugeot	5087.57

Application info

Citroën Berlingo I (07/96-12/07)	Peugeot 3008 (06/09--)
Citroën Berlingo II (04/08--)	Peugeot 308 (09/07--)
Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)	Peugeot 5008 (06/09--)
Citroën C4 II / DS4 (11/09--)	Peugeot Partner II (04/08--)
Citroën DS5 (11/11--)	Peugeot RCZ (03/10--)

Stabilizer link

11-16 060 0029
MSL0739

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	335
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.71
Peugeot	5087.71

Application info

Citroën C3 II (11/09--)	Peugeot 208 (03/12--)
Citroën DS3 (11/09--)	

Stabilizer link

11-16 060 0032
MSL0742

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	263
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.51
Fiat	1331209080
Lancia	1331209080
Peugeot	5087.51

Application info

Citroën C8 (07/02--)	Lancia Phedra (09/02-11/10)
Fiat Ulysse II (179) (08/02-06/11)	Peugeot 807 (06/02-05/06)

Stabilizer link

11-16 060 0033
MSL0743

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	141
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5178.46
Peugeot	5178.52

Application info

Citroën C5 III (RD_, TD_) (02/08--)	Peugeot 407 (05/04-12/09)
Citroën C6 (09/05--)	Peugeot 508 (11/10--)

Stabilizer link

11-16 060 0034
MSL0744

Notes

Length [mm]	Front Axle Right 330
Paired article numbers	11-16 060 0035
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	16 073 268 80 5087.68
Peugeot	16 073 268 80 5087.68

Application info

Citroën C Elyse (11/12--)	Peugeot 208 (03/12--)
Citroën C3 Picasso (02/09--)	Peugeot 301 (11/12--)
Peugeot 207 (02/06-10/08)	

Stabilizer link

11-16 060 0035
MSL0745

Notes

Length [mm]	Front Axle Left 330
Paired article numbers	11-16 060 0034
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	16 073 269 80 5087.69
Peugeot	16 073 269 80 5087.69

Application info

Citroën C Elyse (11/12--)	Peugeot 208 (03/12--)
Citroën C3 Picasso (02/09--)	Peugeot 301 (11/12--)
Peugeot 207 (02/06-10/08)	

Stabilizer link

11-16 060 0039
MSL0749

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.48
Peugeot	5087.48

Application info

Citroën C5 I / C5 II (03/01-04/07)	Peugeot 607 (02/00-07/04)
Citroën Xantia (03/93-04/03)	

Stabilizer link

11-16 060 0040
MSL0750

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.42
	5087.61
CITROEN (DF-PSA)	5087.61
Peugeot	5087.42
	5087.61

Application info

Citroën Berlingo I (07/96-12/07)	CITROEN (DF-PSA) Picasso (N68) (09/01-03/07)
Citroën Xsara (04/97-08/05)	Peugeot 306 (04/93-04/02)
Citroën Xsara Picasso (12/99-09/06)	Peugeot Partner I (04/96-07/08)
Citroën ZX (03/91-02/98)	

Stabilizer link

116 060 0041/S
MSL0910

Notes

Front Axle Left
Front Axle Right
Aluminium
Coupling Rod
with accessories

References

Audi	4M0 411 317 4H0 411 317 C 8K0 411 317 D
Audi (FAW)	8K0 411 317 D

Application info

Audi A4 (8K2, 8K5, 8KH) (11/07--)	Audi A8 (4H_) (11/09--)
Audi A4 (8W2,8W5 B9) (05/15--)	Audi Q5 (8R) (11/08--)
Audi A5 (8F, 8T) (06/07--)	Audi Q7 (4M) (06/15--)
Audi A6 (4G2, 4G5, C7) (11/10-05/13)	Porsche Macan (02/14--)
Audi A7 Sportback (4GA) (10/10--)	

Stabilizer link

116 060 0045

MSL0751

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	270
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Audi	6Q0 411 315 F 6Q0 411 315 G 6Q0 411 315 N 6Q0 411 315 Q 6R0 411 315
Seat	6Q0 411 315 N 6R0 411 315 6R0 411 315 A
Skoda	6Q0 411 315 N 6R0 411 315 6R0 411 315 A
Skoda (SVW) Volkswagen	6R0 411 315 A 6Q0 411 315 N 6Q0 411 315 P 6Q0 411 315 Q 6R0 411 315 6R0 411 315 A
Volkswagen (FAW) Volkswagen (SVW)	6Q0 411 315 N 6Q0 411 315 N

Application info

Audi A1 (8X1, 8XA) (05/10--)	Skoda (SVW) Fabia (NJ) (04/15--)
Audi A2 (8Z0) (02/00-08/05)	Skoda (SVW) Rapid (Na2) (04/13--)
Seat Ibiza IV / Cordoba (02/02-11/09)	Volkswagen Fox/Lupo Z51 (10/03--)
Seat Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	Volkswagen Load Up (12/14--)
Seat Mii (10/11--)	Volkswagen Polo (6R_) (06/09-05/14)
Seat TOLEDO IV (KG3) (07/12--)	Volkswagen Polo (9N_) (10/01-11/09)
Skoda Citigo (10/11--)	Volkswagen Spacefox (5Z6, 5Z7)
Skoda Fabia I (08/99-03/08)	Volkswagen UP (12/11--)
Skoda Fabia II (12/06--)	Volkswagen (FAW) Jetta Night (03/13--)
Skoda Fabia III (08/14--)	Volkswagen (SVW) New Polo (06/06-03/12)
Skoda Rapid II (NH) (07/12--)	Volkswagen (SVW) Polo (01/02-03/06)
Skoda Roomster (03/06-03/10)	Volkswagen (SVW) Polo Sporty (12/10--)
Skoda (SVW) Fabia (12/08--)	Volkswagen (SVW) Santana III (12/12--)

Stabilizer link

16-16 060 0015
MSL0765

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	280
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

GENERAL MOTORS	91167000 93858917
Nissan	54616-00QAC
Opel	44 08 904 44 17 973
Renault	8200661217
Vauxhall	44 08 904 44 17 973

Application info

Nissan Primastar (03/01--)	Renault Laguna II (03/01-09/07)
Opel Vivaro (08/01--)	Renault Trafic II (03/01-07/03)
Renault Clio III / Modus (09/04-08/10)	Renault Vel Satis (06/02--)
Renault Espace IV (11/02-02/05)	Vauxhall Vivaro (08/01-12/06)

Stabilizer link

16-16 060 0016
MSL0766

Notes

	Front Axle Right
Length [mm]	255
Paired article numbers	16-16 060 0017
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Renault	8200050191 8200714448
---------	--------------------------

Application info

Renault Twingo I (03/93-08/00)

Stabilizer link

16-16 060 0017
MSL0767

Notes

Length [mm]	Front Axle Left 255
Paired article numbers	16-16 060 0016
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Renault	8200040618
---------	------------

Application info

Renault Twingo I (03/93-08/00)

Stabilizer link

16-16 060 0018
MSL0768

Notes

Length [mm]	Front Axle Left Front Axle Right 287
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Renault	8200166159 8200669065
---------	--------------------------

Application info

Renault Kangoo II (02/08--)	Renault Scénic II (06/03-04/09)
Renault Mégane II (11/02-01/11)	

Stabilizer link

16-16 060 0019
MSL0769

Notes

Length [mm]	Front Axle Left Front Axle Right 257
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Renault	7700437136
---------	------------

Application info

Renault Kangoo I (08/97-06/10)	Renault Mégane I / Scénic I (01/96-09/03)
--------------------------------	---

Stabilizer link

216 060 0031
MSL0771

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	290
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Fiat	51801136
Ford	1 580 517
Lancia	50700464
	50700941
	51795269
	51801136

Application info

Fiat 500 (10/07--)	Ford KA II (10/08--)
Fiat Bravo (198) (11/06-12/08)	Lancia Delta III (08/08--)
Fiat Panda III (02/12--)	Lancia Ypsilon (843) (10/03-12/11)
Fiat Stilo (10/01-08/08)	Lancia Ypsilon (846) (05/11--)

Stabilizer link

216 060 0033
MSL0773

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	290
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Citroën	5087.70
Fiat	51815479
	51815480
Peugeot	5087.70

Application info

Citroën Nemo (02/08--)	Fiat Qubo (02/08--)
Fiat Fiorino Nuovo (11/07--)	Peugeot Bipper (02/08--)
Fiat Linea (06/07--)	

Stabilizer link

216 060 0034
MSL0774

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	275
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Fiat	46413122
Lancia	51701045

Application info

Fiat Marea / Multipla (09/96-06/10)
Lancia Dedra (04/89-07/99)

Lancia Lybra (07/99-10/05)

Stabilizer link

216 060 0035
MSL0775

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	80
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Fiat	51856959
------	----------

Application info

Fiat Panda II (09/03--)

Stabilizer link

216 060 0036

MSL0776

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Fiat	51898527
Opel	95511247
Vauxhall	95511247

Application info

Fiat Doblo (263) (02/10--)
Opel Combo D (02/12--)

Vauxhall Combo Mk III (07/06--)

Stabilizer link

216 060 0037

MSL0777

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	301
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Alfa Romeo	51805870
Fiat	50515276
	55700753
Lancia	50515276

Application info

Alfa Romeo Giulietta (940) (04/10--)
Alfa Romeo Mito (09/08--)
Fiat 500L (09/12--)

Fiat Grande Punto (10/05-07/12)
Fiat Punto Evo (07/08-03/12)
Fiat Punto III (03/12--)

Stabilizer link

29-16 060 0015
MSL0782

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	261
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Chevrolet	96391875
Daewoo	96391875

Application info

Chevrolet Astro I	Daewoo Kalos (09/02-04/05)
Chevrolet Aveo I (05/05-12/07)	Daewoo Lacetti (04/97-12/04)
Chevrolet Kalos (03/05-05/08)	Daewoo Nubira (KLAJ) (04/97-07/03)
Chevrolet Rezzo (03/05--)	Daewoo Rezzo (09/00-12/04)

Stabilizer link



29-16 060 0016/HD
MSL0908HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	235
Thread Measurement 1	M10x1,25
Thread Measurement 2	M10x1,25
	Coupling Rod with spanner attachment

References

Chevrolet	95947829
-----------	----------

Application info

Chevrolet Spark (M300) (03/10--)

Stabilizer link

30-16 060 0073
MSL0783

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	285
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Toyota	48820-32010
	48820-42020

Application info

Toyota Celica (ZZT23) (08/99-09/05)	Toyota RAV 4 II (06/00-11/05)
Toyota Corolla (E12) (03/01-07/07)	

Stabilizer link

30-16 060 0074
MSL0784

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	141
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Toyota	48830-05020
--------	-------------

Application info

Toyota Avensis (T22) (09/97-02/03)

Stabilizer link

30-16 060 0077
MSL0787

Notes

	Front Axle Left
Length [mm]	71
Paired article numbers	30-16 060 0078
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Toyota	48810-44010
--------	-------------

Application info

Toyota Avensis (T22) (09/97-02/03)	Toyota Corona (T190) (02/92-09/97)
Toyota Carina (T19) (04/92-09/97)	Toyota Picnic (05/96-01/03)

Stabilizer link

30-16 060 0078
MSL0788

Notes

Length [mm]	Front Axle Right 71
Paired article numbers	30-16 060 0077
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Toyota	48820-44010
--------	-------------

Application info

Toyota Avensis (T22) (09/97-02/03)
Toyota Carina (T19) (04/92-09/97)

Toyota Corona (T190) (02/92-09/97)
Toyota Picnic (05/96-01/03)

Stabilizer link

31-16 060 0062
MSL0796

Notes

Length [mm]	Left Right 125
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod

References

Honda	52320-SED-003
-------	---------------

Application info

Honda Accord VIII (02/03-12/08)

Stabilizer link

316 060 0062
MSL0807

Notes

Length [mm]	Front Axle Left Front Axle Right 270
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 35 6 780 847
BMW (Brilliance)	31 35 6 780 847

Application info

BMW 3 (E46) (02/98-12/07)
BMW Z4 (E85) (02/03--)

BMW Z4 (E86) (03/06--)
BMW (Brilliance) 3 Series (E46) (07/03-06/05)

Stabilizer link

316 060 0070
MSL0815

Notes

Length [mm]	Front Axle Right 308
Paired article numbers	316 060 0069
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 35 6 751 080
-----	-----------------

Application info

BMW 3 (E46) (02/98-12/07)

Stabilizer link

316 060 0074
MSL0819

Notes

Length [mm]	Front Axle Right 290
Paired article numbers	316 060 0075
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 35 6 765 934
BMW (Brilliance)	31 35 6 765 934

Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)
BMW 3 (E90, E91, E92, E93) (01/05-05/12)
BMW X1 (E84) (03/09--)

BMW Z4 (E89) (05/09--)
BMW (Brilliance) 3 Series (E90) (01/05-09/12)
BMW (Brilliance) X1 (E84) (03/12--)

Stabilizer link

316 060 0079

MSL0824

Notes

Length [mm]	Front Axle Left
Paired article numbers	340
Thread Measurement 1	316 060 0080
Thread Measurement 2	M10x1,5
	M10x1,5
	Coupling Rod
	with spanner attachment

References

BMW	31 35 6 768 771
BMW (Brilliance)	31 35 6 768 771

Application info

BMW 3 (E90, E91, E92, E93) (01/05-05/12)
BMW X1 (E84) (03/09--)

BMW (Brilliance) X1 (E84) (03/12--)

Stabilizer link

316 060 0080

MSL0825

Notes

Length [mm]	Front Axle Right
Paired article numbers	340
Thread Measurement 1	316 060 0079
Thread Measurement 2	M10x1,5
	M10x1,5
	Coupling Rod
	with spanner attachment

References

BMW	31 35 6 768 772
BMW (Brilliance)	31 35 6 768 772

Application info

BMW 3 (E90, E91, E92, E93) (01/05-05/12)
BMW X1 (E84) (03/09--)

BMW (Brilliance) X1 (E84) (03/12--)

Stabilizer link

316 060 0084

MSL0829

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	240
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 35 1 134 582
-----	-----------------

Application info

BMW 3 (E30) (09/82-06/94)	BMW 6 (E24) (04/76-09/90)
BMW 3 (E36) (09/90-08/00)	BMW 7 (E32) (09/86-09/94)
BMW 5 (E28) (06/81-12/87)	BMW 8 (E31) (04/90-12/99)
BMW 5 (E34) (12/87-01/97)	

Stabilizer link

316 060 0085

MSL0830

Notes

	Front Axle Left
	240
Length [mm]	316 060 0086
Paired article numbers	M10x1,5
Thread Measurement 1	M10x1,5
Thread Measurement 2	Coupling Rod with spanner attachment

References

BMW	31 35 1 095 661
-----	-----------------

Application info

BMW 5 (E39) (11/95-05/04)

Stabilizer link

316 060 0086
MSL0831

Notes

Length [mm]	Front Axle Right 240
Paired article numbers	316 060 0085
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 35 1 095 662
-----	-----------------

Application info

BMW 5 (E39) (11/95-05/04)

Stabilizer link

316 060 0088
MSL0833

Notes

Length [mm]	Front Axle Right 340
Paired article numbers	316 060 0089
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

BMW	31 30 6 787 164
-----	-----------------

Application info

BMW X3 (F25) (09/10--)

BMW X4 (F26) (04/14--)

Stabilizer link

316 060 0089
MSL0834

Notes

Length [mm]	Front Axle Left 340
Paired article numbers	316 060 0088
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod with spanner attachment

References

BMW	31 30 6 787 163
-----	-----------------

Application info

BMW X3 (F25) (09/10--)

BMW X4 (F26) (04/14--)

Stabilizer link

316 060 0090

MSL0835

Notes

Length [mm]	Front Axle 310
Paired article numbers	316 060 0091
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 30 6 792 211
BMW (Brilliance)	31 30 6 792 211

Application info

BMW 1 (F20, F21) (11/10--)	BMW 3 (F34) (03/13--)
BMW 2 (F22,F23) (10/13--)	BMW 4 (F32, F33, F36) (07/13--)
BMW 3 (F30, F31) (10/11--)	BMW (Brilliance) 3 Series (F30) (07/12--)

Stabilizer link

316 060 0091

MSL0836

Notes

Length [mm]	Front Axle 310
Paired article numbers	316 060 0090
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

BMW	31 30 6 792 212
BMW (Brilliance)	31 30 6 792 212

Application info

BMW 1 (F20, F21) (11/10--)	BMW 3 (F34) (03/13--)
BMW 2 (F22,F23) (10/13--)	BMW 4 (F32, F33, F36) (07/13--)
BMW 3 (F30, F31) (10/11--)	BMW (Brilliance) 3 Series (F30) (07/12--)

Stabilizer link



316 060 0092/HD
MSL0909HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	320
Thread Measurement 1	M10x15
Thread Measurement 2	M10X15
	Coupling Rod with spanner attachment

References

BMW	31 30 6 862 864
Mini	31 30 6 862 864

Application info

BMW 2 (F45, F46) (09/14--)	Mini Mini III (12/13--)
BMW X1 (F48) (09/15--)	

Stabilizer link

35-16 060 0042
MSL0853

Notes

Length [mm]	250
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	4 462 153
Mazda	BC1D-28-170A
	EC01-34-150A

Application info

Ford Maverick II (02/01--)	Mazda Tribute I (03/00-05/08)
Mazda 323 (BA) (05/94-09/98)	

Stabilizer link

36-16 060 0060
MSL0859

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	250
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Nissan	54618-BC40A
Renault	8200605381
	8201079463

Application info

Nissan Micra (K12) (01/03-06/10)	Renault Captur (06/13--)
Nissan Note (03/06--)	Renault Clio III / Modus (09/04-08/10)
Nissan NV200 (02/10--)	Renault Clio IV (11/12--)
Nissan Tida (01/07--)	Renault Zoe (06/12--)
Nissan Tiida (C11) (05/04-02/07)	

Stabilizer link

516 060 0017
MSL0868

Notes

	Short Version
Length [mm]	302
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Dacia	8200814411
Volvo	30714686

Application info

Dacia Duster (04/10--)	Volvo C/S/V 70 (11/96-10/05)
Renault Duster (06/09--)	Volvo XC70 I (11/97-08/07)
Volvo 850 (06/91-10/97)	

Stabilizer link

516 060 0021

MSL0872

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	243
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Volvo	9492837
-------	---------

Application info

Volvo 940 / 960 / S/V 90 (07/94-12/98)

Stabilizer link

53-16 060 0020

MSL0873

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	100
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12X1,5
	Coupling Rod with spanner attachment

References

Land Rover	ANR3304
------------	---------

Application info

Land Rover Range Rover II (07/94-03/02)

Stabilizer link



534 035 0001/HD
MSL0900HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	28,6
Length [mm]	435
Pipe Ø [mm]	40
Thread Measurement 1	M20X1,5
Thread Measurement 2	M20X1,5
	Coupling Rod
	for vehicles with standard chassis
	Steel

References

Volvo	3987354
-------	---------

Application info

Volvo FH 12 (08/93--)	Volvo FM 7 (08/98-12/01)
Volvo FM 12 (08/98-09/05)	

Stabilizer link



534 035 0002/HD
MSL0901HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	28,6
Length [mm]	435
Pipe Ø [mm]	40
Thread Measurement 1	M22X1,5
Thread Measurement 2	M22X1,5
	Coupling Rod
	for vehicles with standard chassis
	Steel

References

Volvo	20443061
-------	----------

Application info

Volvo FH (09/05--)	Volvo FM (09/05--)
Volvo FH 12 (08/93--)	Volvo FM 12 (08/98-09/05)
Volvo FH 16 (08/93-12/02)	Volvo FM 9 (12/01-09/05)

Stabilizer link



534 035 0003/HD
MSL0902HD

Notes

	Reinforced Version
	Replace in pairs only
	Short Version
	Rear Axle
Cone Size [mm]	28,6
Length [mm]	380
Pipe Ø [mm]	40
Thread Measurement 1	M20X1,5
Thread Measurement 2	M20X1,5
	Coupling Rod
	Steel

References

Volvo	3173914
-------	---------

Application info

Volvo FH 12 (08/93--)	Volvo FM 12 (08/98-09/05)
Volvo FL 6 (09/85-03/00)	Volvo FM 7 (08/98-12/01)

Stabilizer link



534 035 0004/HD
MSL0903HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	28,6
Length [mm]	380
Pipe Ø [mm]	40
Thread Measurement 1	M22X1,5
Thread Measurement 2	M22X1,5
	Coupling Rod
	Steel

References

Volvo	20994419
-------	----------

Application info

Volvo FH (09/05--)	Volvo FL 6 (09/85-03/00)
Volvo FH 12 (08/93--)	Volvo FM (09/05--)
Volvo FH 16 (08/93-12/02)	Volvo FM 12 (08/98-09/05)

Stabilizer link



534 035 0005/HD
MSL0904HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	28,6
Length [mm]	350
Pipe Ø [mm]	40
Thread Measurement 1	M22X1,5
Thread Measurement 2	M22X1,5
	Coupling Rod
	Steel

References

Volvo	20443063
-------	----------

Application info

Volvo 8700 (01/99--)	Volvo FH 16 (08/93-12/02)
Volvo FH (09/05--)	Volvo FM (09/05--)
Volvo FH 12 (08/93--)	Volvo FM 12 (08/98-09/05)

Stabilizer link



534 035 0006/HD
MSL0905HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	32
Length [mm]	435
Pipe Ø [mm]	40
Thread Measurement 1	M24X1,5
Thread Measurement 2	M24X1,5
	Coupling Rod
	Steel

References

Volvo	21287061
-------	----------

Application info

Volvo FH (09/05--)	Volvo FM (09/05--)
Volvo FH 12 (08/93--)	Volvo FM 9 (12/01-09/05)
Volvo FH 16 (08/93-12/02)	

Stabilizer link



534 035 0007/HD
MSL0906HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	32
Length [mm]	380
Pipe Ø [mm]	40
Thread Measurement 1	M24X1,5
Thread Measurement 2	M24X1,5
	Coupling Rod
	Steel

References

Volvo	21119067
-------	----------

Application info

Volvo FH 12 (08/93--)	Volvo FM (09/05--)
Volvo FH 16 (08/93-12/02)	Volvo FMX (04/10--)

Stabilizer link



534 035 0008/HD
MSL0907HD

Notes

	Reinforced Version
	Replace in pairs only
	Rear Axle
Cone Size [mm]	32
Length [mm]	350
Pipe Ø [mm]	40
Thread Measurement 1	M24X1,5
Thread Measurement 2	M24X1,5
	Coupling Rod
	Steel

References

Volvo	21287063
-------	----------

Application info

Volvo FH 12 (08/93--)	Volvo FM (09/05--)
Volvo FH 16 (08/93-12/02)	Volvo FMX (04/10--)

Stabilizer link

616 060 0023

MSL0692

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	71,5
Thread Size	10x1,5
	Coupling Rod

References

Opel	13281792
------	----------

Application info

Chevrolet Malibu IV (01/12--)
Opel Insignia (07/08--)

Vauxhall Insignia (07/08-09/13)

Stabilizer link

616 060 0028

MSL0879

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M12X1,5
Thread Measurement 2	M12X1,5
	Coupling Rod
	Steel
	with spanner attachment

References

GENERAL MOTORS	13327928
	90498745
	13169439
Opel	3 50 176
	3 50 611
	3 50 614
Vauxhall	3 50 176
	3 50 611
	3 50 614

Application info

Opel Astra G / Zafira A (02/98-12/09)
Opel Astra H / Zafira B (02/04-11/04)
Opel Meriva B (06/10--)
Vauxhall Astra Mk II (09/84-08/93)
Vauxhall Astra Mk IV (02/98-08/06)

Vauxhall Astra Mk V (01/04-11/11)
Vauxhall Meriva Mk II (06/10--)
Vauxhall Zafira Mk I (11/98-08/05)
Vauxhall Zafira Mk II (04/05--)

Stabilizer link

616 060 0029
MSL0880

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	354
Thread Measurement 1	M12X1,5
Thread Measurement 2	M12X1,5
	Coupling Rod with spanner attachment

References

Fiat	51741130
	51803183
GENERAL MOTORS	13237130
	24417251
Opel	3 50 603
	3 50 615
Saab	24 41 7251
Vauxhall	3 50 603
	3 50 615

Application info

Fiat Croma II (06/05--)
Opel Vectra C / Signum (04/02-09/08)

Saab 9-3 (YS3F) (09/02--)
Vauxhall Vectra Mk II / Signum (01/00-10/08)

Stabilizer link

616 060 0030
MSL0881

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	301
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

GENERAL MOTORS	55700753
Opel	3 50 616
Vauxhall	3 50 616

Application info

Opel Corsa D (07/06--)
Vauxhall Combo Mk III (07/06--)

Vauxhall Corsa Mk III (07/06-03/12)

Stabilizer link

716 060 0031
MSL0885

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	250
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	1 117 698
Ford (Chanagan)	1S71-3B438-BA
Jaguar	C2S39552

Application info

Ford Mondeo III (11/00-08/07)	Jaguar X-Type (06/01-12/09)
Ford (Chanagan) Mondeo I (05/03--)	

Stabilizer link

716 060 0032
MSL0886

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	298
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	1 230 909
	1 686 594
	1 762 149
	3M51-3B438-AC
Ford (Chanagan)	3M51-3B438-AB
Mazda	BP4K-34-170D
Renault	546180001R
Volvo	31340273

Application info

Ford C-Max I (02/07--)	Mazda 3 (BK) (06/00-06/09)
Ford C-Max II (12/10--)	Mazda 5 (CR) (02/05--)
Ford Focus II (10/03-09/08)	Mazda 5 (CW) (09/10--)
Ford Focus III (07/10--)	Renault Laguna III / Coupe / Grandtour (10/07--)
Ford Kuga (03/08--)	Volvo C30 (10/06-12/12)
Ford Kuga II (01/13--)	Volvo C70 II (03/06--)
Ford Tourneo (12/12--)	Volvo S40 II / V50 (01/04--)
Ford Transit 13 (09/13--)	Volvo V40 II (03/12--)
Ford (Chanagan) Focus I (09/05-12/11)	

Stabilizer link

716 060 0034
MSL0888

Notes

Length [mm]	Front Axle Left 238
Thread Measurement 1	Front Axle Right M10x1,5
Thread Measurement 2	M10x1,5 Coupling Rod with spanner attachment

References

Ford	1 106 269
	6 960 036

Application info

Ford Cougar (08/98-12/01)

Ford Mondeo I, II (01/93-11/00)

Stabilizer link

716 060 0035
MSL0889

Notes

Length [mm]	Rear Axle Left 255
Thread Measurement 1	Rear Axle Right M10x1,5
Thread Measurement 2	M10x1,5 Coupling Rod with spanner attachment

References

Ford	1 127 648
------	-----------

Application info

Ford Mondeo III (11/00-08/07)

Stabilizer link

716 060 0036
MSL0890

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	284
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	2S61-3B438-AE 1 761 200 5 152 208
Mazda	7L84-5K483-AC DD32-34-170

Application info

Ford Fiesta V / Fusion (11/01-06/08)
Ford Maverick II (02/01--)

Mazda 2 (DY) (02/03--)

Stabilizer link

716 060 0038
MSL0892

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	1 377 849
Ford (Chanagan)	30648461 6G9N-3B438-BA
Volvo	30648461
Volvo (Changan)	30648461

Application info

Ford Galaxy II (05/06--)
Ford Mondeo IV (03/07--)
Ford S-Max (05/06--)
Ford (Chanagan) Mondeo II (09/07--)
Ford (Chanagan) S-Max I (01/07--)
Volvo S60 II / V60 (04/10-04/12)

Volvo S80 II (03/06--)
Volvo V70 III (08/07--)
Volvo XC60 (05/08-12/10)
Volvo XC70 II (08/07--)
Volvo (Changan) S80L (03/09--)

Stabilizer link

716 060 0040

MSL0894

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	238
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	1 130 273
	1 209 035
	1 471 446
	YS41-3B438-BB
Ford (Chanagan)	1S61-3B438-AA
Mazda	1E01-34-170A

Application info

Ford Escort V, VI, VII / Orion III (07/90-06/01)	Ford KA I (09/96-11/08)
Ford Fiesta III (01/89-01/97)	Ford (Chanagan) Fiesta I (03/03-06/06)
Ford Fiesta IV / Puma (08/95-06/02)	Mazda 121 (JASM, JBSM) (03/96-04/03)
Ford Focus I (10/98-03/05)	

Stabilizer link

716 060 0042

MSL0896

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	250
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment

References

Ford	8V51-3B438-BA
	8V51-3B438-BB
Mazda	D651-34-170

Application info

Ford B-MAX (10/12--)	Ford Tourneo (12/12--)
Ford Ecosport (04/04-09/07)	Ford Transit Courier (02/14--)
Ford Fiesta VI (06/08--)	Mazda 2 (DE) (10/07--)

Strut mount

100 412 1048
MSM0241

Notes

Front Axle
Piece
Rubber-metal Bearing
without ball bearing

References

Audi	4F0 412 377 D
Audi (FAW)	4F0 412 377 D
	L4F0 412 377 D

Application info

Audi A6 (4F2, 4FH, 4F5) (05/04-08/11)
Audi (FAW) A6L (C6) (03/05-12/11)

Audi (FAW) A6L Stufenheck (C7) (01/12--)

Strut mount

100 741 1002
MSM0236

Notes

Rear Axle left and right
without ball bearing

References

Audi	4G0 513 353 D
------	---------------

Application info

Audi A6 (4G2, 4G5, C7) (11/10-05/13)

Audi A7 Sportback (4GA) (10/10--)

Strut mount

300 313 3126
MSM0237

Notes

Rear Axle left and right
Piece
Rubber-metal Bearing
without ball bearing

References

BMW	33 50 6 781 682
-----	-----------------

Application info

BMW 5 (F07) (10/09-12/10)

BMW 5 (F10, F11) (03/10-12/11)

Strut mount

300 313 3136
MSM0238

Notes

Front Axle left and right
Piece
Rubber-metal Bearing
without ball bearing

References

BMW 31 30 6 795 082

Application info

BMW 5 (F07) (10/09-12/10)
BMW 5 (F10, F11) (03/10-12/11)

BMW 6 (F12, F13) (11/10-12/12)

Strut mount

300 313 3153
MSM0239

Notes

Front Axle left and right
Piece
Rubber-metal Bearing
without ball bearing

References

BMW 31 30 6 863 297

Application info

BMW 5 (F10, F11) (03/10-12/11)

Strut mount

300 313 3154
MSM0240

Notes

Rear Axle left and right
Piece
Rubber-metal Bearing
without ball bearing

References

BMW 33 50 6 863 303

Application info

BMW 5 (F10, F11) (03/10-12/11)

Strut mount

314 641 1002

MSM0242

Notes

Front Axle left and right
Piece
Rubber-metal Bearing
with ball bearing

References

BMW 31 30 6 778 833

Application info

Mini Mini I (06/01-11/07)

Mini Mini II (10/06-07/10)

Strut mount bearing

414 641 0002

MMB0029

Notes

Front Axle

References

Porsche 996 343 515 05



Application info

Porsche 911 (997) (07/04-12/10)
Porsche Boxster (987) (11/04-12/11)

Porsche Cayman (11/05--)

Wheel bearing kit

614 650 0004

MWK0230

Notes

Height [mm] 37
Inner diameter [mm] 37
Outer diameter [mm] 74
for vehicles with ABS
with add-on material

References

Fiat 46836196
71753820
92403013
GENERAL MOTORS 95511623
95513921
Opel 3 28 011
3 28 023
Vauxhall 3 28 011
3 28 023

Application info

Fiat 500L (09/12--)
Fiat Bravo (198) (11/06-12/08)
Fiat Doblo (263) (02/10--)
Fiat Stilo (10/01-08/08)

Lancia Delta III (08/08--)
Opel Combo D (02/12--)
Vauxhall Combo Mk III (07/06--)

Wheel bearing kit

614 750 0002
MVK0231

Notes

Height [mm]	Rear Axle left and right
Inner diameter [mm]	44
Outer diameter [mm]	28
	58
	with add-on material

References

GENERAL MOTORS	95507796
Opel	47 11 556
Suzuki	46860-62J01
Vauxhall	47 11 556

Application info

Opel Agila B (04/08--)	Suzuki Swift III (02/05--)
Suzuki Splash (01/08--)	Vauxhall Agila Mk II (01/08--)

Wheel hub

11-14 752 0003
MWH0259

Notes

Rim Hole Number	Rear Axle left and right
	5
	with add-on material
	with integrated wheel bearing

References

Peugeot	3748.89
---------	---------

Application info

Peugeot 407 (05/04-12/09)	Peugeot RCZ (03/10--)
---------------------------	-----------------------

Wheel hub

300 652 0002
MWH0258

Notes

Bolt Hole Circle Ø [mm]	Front Axle left and right
Inner diameter 1 [mm]	108
Outer diameter [mm]	90
Rim Hole Number	147
	5
	Four-point mounting
	with add-on material
	with integrated wheel bearing

References

BMW	31 20 6 867 256
	31 20 6 794 850
	31 20 6 857 230

Application info

BMW 1 (F20, F21) (11/10--)	BMW 3 (F30, F31) (10/11--)
BMW 2 (F22, F23) (10/13--)	BMW 3 (F34) (03/13--)
BMW 2 (F45, F46) (09/14--)	BMW 4 (F32, F33, F36) (07/13--)

Wheel hub

300 752 0007
MWH0257

Notes

	Rear Axle left and right
Inner diameter [mm]	49
Number of Holes	4
Outer diameter [mm]	95
	with add-on material
	with integrated wheel bearing

References

BMW	33 40 6 850 159
	33 41 6 775 021

Application info

BMW 5 (F07) (10/09-12/10)	BMW 6 (F12, F13) (11/10-12/12)
BMW 5 (F10, F11) (03/10-12/11)	

Wheel hub

714 750 0019
MWH0260

Notes

	Rear Axle left and right
Outer diameter [mm]	131
Rim Hole Number	4
	with add-on material
	with integrated wheel bearing
	with wheel studs

References

Ford	1 870 089
	1 754 122
	1 768 073
	ACP1-2C299-C1A

Application info

Ford B-MAX (10/12--)	Ford Tourneo (12/12--)
Ford Ecosport (04/04-09/07)	Ford Transit Courier (02/14--)